

The following table lists the current 4010/4010A1 Implementation Guide and Medicare prepass edits. Implementation Guide edits do not necessarily indicate a Medicare requirement, but rather that if a certain segment/element/loop is used, it must meet the Implementation Guide requirements.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0002	— ISA	Interchange Control Header	must have only one valid ISA per IEA	Edit is set if there is more than one
0003	Before Loop ISA01	Authorization Information Qualifier	missing/invalid value	Edit is set if value is not 00 or 03.
0005	Before Loop ISA03	Security Information Qualifier	missing/invalid value	Edit is set if value is not 00 or 01.
0007	Before Loop ISA05	Interchange Id Qualifier	missing/invalid value	Edit is set if value is not 01, 14, 20, 27, 28, 29, 30, 33, or ZZ.
0009	Before Loop ISA07	Interchange Id Qualifier	missing/invalid value	Edit is set if value is not 01, 14, 20, 27, 28, 29, 30, 33, or ZZ.
0013	Before Loop ISA11	Interchange Control Standards Id	missing/invalid value	Edit is set if value is not U.
0014	Before Loop ISA12	Interchange Control Version Number	missing/invalid value	Edit is set if value is not 00401.
0016	Before Loop ISA14	Acknowledgement Requested	missing/invalid value	Edit is set if value is not 0 or 1.
0017	Before Loop ISA15	Usage Indicator	missing/invalid value	Edit is set if value is not P or T.
0020	Before Loop GS	Functional Group Header	max seg count exceeded	Edit is set if multiple segments within group.
0021	Before Loop GS01	Functional Identifier Code	missing/invalid value	Edit is set if value is not HC.
0027	Before Loop GS07	Functional Workgroup Responsible Agency Code	missing/invalid value	Edit is set if value is not X.
0028	Before Loop GS08	Functional Workgroup Version Identifier Code	missing/invalid value	Edit is set if value is not 004010x098.
0029	Before Loop ST	Transaction Set Header	max seg count exceeded	Edit is set if there are more than 1 segment.
0031	Before Loop ST01	Transaction Set Identifier Code	missing/invalid value	Edit is set if value is not 837.
0032	Before Loop ST02	Transaction Set Control Number	txn ctl num not unique	Edit is set if value when same Transaction Set Control Number(ST02) is used within ISA for different ST segments

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0033	Before Loop BHT	Beginning Of Hierarchical Transaction	max seg count exceeded	Edit is set if there are more than 1 segment.
0035	Before Loop BHT01	Hierarchical Structure Code	missing/invalid value	Edit is set if value is not 0019.
0036	Before Loop BHT02	Hierarchical Transaction Set Purpose Code	missing/invalid value	Edit is set if value is not 00 or 18.
0037	Before Loop BHT03	Hierarchical Originator Application Transaction ID	missing value	Edit if element if missing
0038	Before Loop BHT04	Hierarchical Transaction Set Creation Date	missing/invalid value	Edit if element is missing or not in format ccyyymmdd
0039	Before Loop BHT05	Hierarchical Transaction Set Creation Time	missing/invalid value	Edit if element is missing or not in format hhmm, hhmmss, hhmmssd, or hhmmssdd
0040	Before Loop BHT06	Hierarchical Claim	missing/invalid value	Edit is set if value is not CH or RP.
0041	Before Loop REF	Transmission Type Identification	max seg count exceeded	Edit is set if there are more than 1 segment.
0042	Before Loop REF	Transmission Type Identification	segment missing	Edit is set if segment is missing.
0043	Before Loop REF01	Transmission Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 87.
0044	Before Loop REF02	Transmission Type Code	missing/invalid value	Edit is set if value is not 004010x098 or 004010X098D.
0045	1000A NM1	Submitter Name	req segment missing	Edit is set if segment is missing.
0046	1000A NM1	Submitter Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0047	1000A NM102	Entity Type Qualifier	missing/invalid value	Must be value of 1 or 2.
0048	1000A NM103	Submitter Last Or Organization Name	required element missing	Edit is set if field is blank.
0049	1000A NM104	Submitter First Name	required when entity type is person	Edit is set if blank and 1000A/NM102=1.
0050	1000A NM108	Submitter Identification Code Qualifier	missing/invalid value	Edit is set if value is not 46.
0051	1000A NM109	Submitter Identifier	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0052	1000A N2	Additional Submitter Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0054	1000A PER	Submitter Edi Contact Information	required per seg not found	Edit is set if Segment not found.
0056	1000A PER02	Submitter Contact Name	required element missing	Edit is set if field is blank.
0057	1000A PER03	Communication Number Qualifier	missing/invalid value	Value must be ED, EM, FX or TE
0058	1000A PER04	Submitter Communication Number	required element missing	Edit is set if field is blank.
0059	1000A PER05	Submitter Communication Number Qualifier	missing/invalid value	The qualifer must be ED, EM, EX, FX, or TE and the communication number must be submitted in PER06.
0060	1000A PER07	Submitter Communication Number Qualifier	invalid value	The qualifer must be ED, EM, EX, FX, or TE and the communication number must be submitted in PER08.
0061	1000B NM1	Receiver Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0062	1000B NM1	Receiver Name	req nm1 not found in 1000b	Edit is set if NM1 is not found in the 1000B Loop.
0063	1000B NM101	Receiver Entity Identifier Code	invalid value	Edit is set if value is not 40.
0064	1000B NM102	Receiver Entity Type Qualifier	invalid value	Edit is set if value is not 2.
0065	1000B NM103	Receiver Name	required element missing	Edit is set if field is blank.
0066	1000B NM108	Receiver Identification Code Qualifier	Missing/invalid value	Edit is set if value is not 46.
0067	1000B NM109	Receiver Primary Identifier	required element missing	Edit is set if field is blank.
0068	1000B N2	Receiver Additional Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0070	2000A HL	Billing/Pay-To Provider Hierarchical Level	max seg count exceeded	Edit is set if there are more than 1 segment.
0073	2000A HL03	Hierarchical Level Code	missing/invalid value	Edit is set if value is not 20.
0074	2000A HL04	Hierarchical Child Code	missing/invalid value	Edit is set if value is not 1.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0075	2000A PRV	Billing/Pay-To Provider Specialty Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0077	2000A PRV01	Billing Provider Code	missing/invalid value	Edit is set if value is not BI or PT.
0078	2000A PRV02	Billing Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not ZZ.
0081	2000A CUR01	Foreign Currency Entity Identifier Code	missing/invalid value	Edit is set if value is not 85.
0082	2010AA NM1	Billing Provider Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0083	2010AA NM1	Billing Provider Name	req seg not found	Edit is set if segment not found.
0084	2010AA NM101	Billing Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not 85.
0085	2010AA NM102	Billing Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0086	2010AA NM103	Billing Provider Last Or Organizational Name	required element missing	Edit is set if field is blank.
0087	2010AA NM104	Billing Provider First Name	required when entity type is person	Edit is set if segment not found and entity type is person.
0088	2010AA NM108	Billing Provider Identification Code Qualifier	missing/invalid value	Edit is set if value is not 24, 34, or XX.
0089	2010AA NM109	Billing Provider Identifier	required element missing	Edit is set if value is not 24 or 34 and NM109 is missing or an invalid value
0090	2010AA N2	Additional Billing Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0092	2010AA N3	Billing Provider Address	max seg count exceeded	Edit is set if there are more than 1 segment.
0093	2010AA N3	Billing Provider Address	req seg not found	Edit is set if segment not found.
0096	2010AA N4	Billing Provider City/State/Zip Code	req seg not found	Edit is set if segment not found.
0097	2010AA N401	Billing Provider City Name	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0098	2010AA N402	Billing Provider State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid
0099	2010AA N403	Billing Provider Postal Zone Or Zip Code	Required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0100	2010AA REF	Billing Provider Secondary Identification	Exceeds max segs	Edit is set if there are more than 8 segments.
0101	2010AA REF01	Billing Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1A, 1B, 1C, 1D, 1G, 1H, 1J, B3, BQ, EI, FH, G2, G5, LU, SY, U3, X5 or 06, 8U, EM, LU, RB, or TT.
0102	2010AA REF02	Billing Provider Additional Identifier	required element missing	Edit is set if field is blank.
0107	2010AA PER01	Billing Provider Contact Function Code	missing/invalid value	Edit is set if value is not IC in the 2010AA.
0108	2010AA PER02	Billing Provider Contact Name	required element missing	Edit is set if field is blank.
0109	2010AA PER03	Billing Provider Communication Number Qualifier	missing/invalid value	Edit is set if value is not EM, FX, or TE.
0110	2010AA PER04	Billing Provider Communication Number	required element missing	Edit is set if field is blank.
0111	2010AA PER05	Billing Provider Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not EM, EX, FX, or TE.
0112	2010AA PER07	Billing Provider Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not EM, EX, FX, or TE
0113	2010AB NM1	Pay-To Provider Name	max seg count	Edit is set if there are more than 1 segment
0114	2010AB NM1	Pay-To Provider Name	req seg not found in 2010ab	Edit is set if the 2010AB loop is present, the NM1 segment is not found.
0115	2010AB NM101	Pay-To Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not 87
0116	2010AB NM102	Pay-To Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2
0117	2010AB NM103	Pay-To Provider Last Or Organization Name	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0118	2010AB NM104	Pay-To Provider First Name	required when entity type is person	Edit is set if 2010AB/NM102 = 1 and segment not found.
0119	2010AB NM108	Pay-To Provider Identification Code Qualifier	missing/invalid value	Edit is set if value is not 24, 34, or XX
0120	2010AB NM109	Pay-To Provider Identifier	required element missing	Edit is set if NM108 has a value of 24 or 34 and NM109 is missing or has an invalid value.
0121	2010AB N2	Additional Pay-To Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment
0123	2010AB N3	Pay-To Provider Address	max seg count	Req if loop used, Edit is set if there are more than 1 segment
0124	2010AB N3	Pay-To Provider Address	req seg not found in 2010AB	Edit is set if 2010AB loop is used the N3 is not found.
0127	2010AB N4	Pay-To Provider City/State/Zip Code	req seg not found in 2010AB	Edit is set if 2010AB loop is used and N4 is not found.
0128	2010AB N401	Pay-To Provider City Name	required element missing	Edit is set if field is blank.
0129	2010AB N402	Pay-To Provider State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.
0130	2010AB N403	Pay-To Provider Postal Zone Or Zip Code	required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0131	2010AB REF	Pay-To Provider Secondary Identification	exceeds max segment count	Edit is set if there are more than 5 segments
0132	2010AB REF01	Pay-To Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1A, 1B, 1C, 1D, 1G, 1H, 1J, B3, BQ, EI, FH, G2, G5, LU, SY, U3, or X5
0135	2000B HL	Subscriber Hierarchical Level	Required segment not found	Edits is set if a 2000B loop is not found between a 2000A and 2300 loop
0138	2000B HL02	Subscriber Hierarchical Parent Id Number	required element missing	Edit is set if field is blank.
0139	2000B HL03	Subscriber Hierarchical Level Code	missing/invalid value	Edit is set if value is not 22.
0140	2000B HL04	Subscriber Hierarchical Child Code	missing/invalid value	Edit is set if value is not 0 or 1.
0142	2000B SBR	Subscriber Information	req seg not found	Edit is set if segment not found.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0143	2000B SBR01	Payer Responsibility Sequence Number Code	missing/invalid value	Edit is set if value is not P, S or T.
0144	2000B SBR02	Subscriber Individual Relationship Code	invalid value	Value if present, Edit is set if value is not 18.
0146	2000B PAT05	Patient Date Time Period Format Qualifier	invalid value	Value if present, Edit is set if value is not D8.
0147	2000B PAT07	Patient Unit Or Basis For Measurement Code	invalid value	Value if present, Edit is set if value is not GR.
0148	2000B PAT09	Patient Pregnancy Indicator	invalid value	Value if present, Edit is set if value is not Y.
0149	2010BA NM1	Subscriber Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0150	2010BA NM1	Subscriber Name	req nm1 not found	Edit is set if NM1 not found.
0151	2010BA NM101	Subscriber Entity Identifier Code	missing/invalid value	Edit is set if value is not IL.
0152	2010BA NM102	Subscriber Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0153	2010BA NM103	Subscriber Last Name	required element missing	Edit is set if field is blank.
0154	2010BA NM108	Subscriber Identification Code Qualifier	missing/invalid value	Edit is set if value is not MI or ZZ.
0155	2010BA NM109	Subscriber Primary Identifier	HIC number required	Edit is set if field is blank.
0156	2010BA N2	Additional Subscriber Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0158	2010BA N3	Subscriber Address	max seg count exceeded	Edit is set if there are more than 1 segment.
0159	2010BA N3	Subscriber Address	req N3 seg not found	N3 segment required if the patient is the same person as the subscriber.
0162	2010BA N4	Subscriber City/State/Zip Code	req N4 not found	Edit is set if N4 not found.
0163	2010BA N401	Subscriber City Name	required element missing	Edit is set if field is blank.
0164	2010BA N402	Subscriber State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0165	2010BA N403	Subscriber Postal Zone Or Zip Code	required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0166	2010BA DMG	Subscriber Demographic Information	max seg count exceeded	Edit is set if there are more than 1 segment
0167	2010BA DMG01	Subscriber Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8
0168	2010BA DMG02	Subscriber Birth Date	required element missing	Edit is set if field is blank Note: 0168 does not perform date validations of the submitted values.
0169	2010BA DMG03	Subscriber Gender Code	missing/invalid value	Edit is set if value is not F, M, or U
0170	2010BA REF	Subscriber Secondary Identification	exceeds max segs for qual	Edit is set if there are more than 4 maximum is a total for all qualifiers listed.
0171	2010BA REF01	Subscriber Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1W, 23, IG, or SY
0172	2010BA REF02	Subscriber Supplemental Identifier	required element missing	Edit is set if field is blank.
0173	2010BA REF	Property And Casualty Claim Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0175	2010BA REF02	Property Casualty Claim Number	required element missing	Edit is set if field is blank.
0176	2010BB NM1	Payer Name	max seg count exceeded	Edit is set if there are more than 1 segment
0177	2010BB NM1	Payer Name	req nm1 seg not found	Edit is set if NM1 SEG NOT FOUND
0178	2010BB NM101	Entity Identifier Code	missing/invalid value	Edit sets if value is not PR
0179	2010BB NM102	Entity Type Qualifier	Missing/invalid value	Edit sets if value is not 2.
0180	2010BB NM103	Payer Name	required element missing	Edit is set if field is blank.
0181	2010BB NM108	Payer Identification Code Qualifier	missing/invalid value	Edit is set if value is not PI, or XV
0182	2010BB NM109	Payer Identifier	required element missing	Edit is set if field is blank.
0183	2010BB N2	Additional Payer Name Information	exceeds max seg count	Edit is set if there are more than 1 segment

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0185	2010BB N3	Payer Address	exceeds max seg count	Edit is set if there are more than 1 segment
0188	2010BB N401	Payer City Name	required element missing	Edit is set if field is blank.
0189	2010BB N402	Payer State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.
0190	2010BB N403	Payer Postal Zone Or Zip Code	required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0191	2010BB REF	Payer Secondary Identification	exceeds max seg count	Edit is set if there are more than 3 segments
0192	2010BB REF01	Payer Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 2U, FY, NF, or TJ
0193	2010BB REF02	Payer Additional Identifier	Required element missing	Edit is set if field is blank.
0194	2010BC NM1	Responsible Party Name	max seg count	Edit is set if loop present and this element is blank.
0195	2010BC NM1	Responsible Party Name	nm1 seg not found in 2010bc loop	Edit is set if loop present and this element is missing.
0196	2010BC NM101	Responsible Party Entity Identifier Code	missing/invalid value	Edit is set if value is not QD
0197	2010BC NM102	Responsible Party Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2
0198	2010BC NM103	Responsible Party Last Or Organization Name	Required element missing	Edit is set if field is blank.
0199	2010BC NM104	Responsible Party First Name	Required when entity type is person	Edit is set if blank but Entity type is person and 2010BC/NM102=1.
0200	2010BC N2	Additional Responsible Party Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0202	2010BC N3	Responsible Party Address	max seg count	Edit is set if blank and 2010BC loop present.
0203	2010BC N3	Responsible Party Address	seg n3 not found in 2010bc loop	Edit is set if blank and 2010BC loop used, SEG N3 not found in 2010BC Loop.
0206	2010BC N4	Responsible Party City/State/Zip Code	seg n4 not found in 2010bc loop	Edit is set if blank and 2010BC loop used, seg N4 not found in 2010BC Loop.
0207	2010BC N401	Responsible Party City Name	Required element missing	Edit is set if field is blank.
0208	2010BC N402	Responsible Party State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0209	2010BC N403	Responsible Party Postal Zone Or Zip Code	Required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0262	2300 CLM	Claim Information	clm seg missing	Edit is set if No CLM segment found
0265	2300 CLM02	Total Claim Charge Amount	required element missing	Edit is set if field is blank.
0267	2300 CLM05-1	Facility Type Code	missing/invalid value	Edit is set if value is not 03, 04 , 05, 06, 07, 08, 11, 12, 13, 14,15,20, 21, 22, 23, 24, 25, 26, 31, 32, 33, 34, 41, 42, 49, 50, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 65, 71, 72, 81, 99.
0268	2300 CLM05-3	Claim Frequency Code	missing/invalid value	Edit is set if value is not 1, 6, 7 or 8.
0269	2300 CLM06	Provider Or Supplier Signature Indicator	missing/invalid value	Edit is set if value is not N or Y.
0270	2300 CLM07	Medicare Assignment Code	missing/invalid value	Edit is set if value is not A, B, C, or P.
0271	2300 CLM08	Benefits Assignment Certification Indicator	missing/invalid value	Edit is set if value is not N or Y.
0272	2300 CLM09	Release Of Information Code	missing/invalid value	Edit is set if value is not A, I, M, N, O, or Y.
0273	2300 CLM10	Patient Signature Source Code	value req when CLM09 not n	Edit is set if CLM09 is not "N", and segment does not match B, C, M, P, or S.
0274	2300 CLM11-1	Related Causes Code	missing/invalid value	If CLM11 used, Edit is set if value is not AA, AB, AP, EM, or OA.
0275	2300 CLM11-2	Related Causes Code	invalid value	Value if present, Edit is set if value is not AA, AB, AP, EM, or OA.
0276	2300 CLM11-3	Related Causes Code	invalid value	Value if present, Edit is set if value is not AA, AB, AP, EM, or OA.
0277	2300 CLM11-4	Auto Accident State Or Province Code	missing/invalid value	Edit is set if any CLM11-1, 2, 3=AA and an invalid or blank state/province code was entered in 2300 CLM11-4.
0278	2300 CLM12	Special Program Indicator	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 5, 7, 8, or 9..
0279	2300 CLM16	Participation Agreement	invalid value	Value if present, Edit is set if value is not P.
0280	2300 CLM20	Delay Reason Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, or 11.
0281	2300 DTP	Date - Order Date	exceeds max segment/qualifier count	Edit is set if max qualifier for 938.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0282	2300 DTP01	Date Time Qualifier	missing/invalid value	Edit is set if value is not 938, 454, 330, 304, 431, 453, 438, 096, 090, 091, 435, 296, 297, 361, 360, 471, ABC, 455, 484, or 439.
0283	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0285	2300 DTP	Date - Initial Treatment	exceeds max segment/qualifier count	Edit is set if Exceeds max qualifier for 454. (max qualifier is more than 1)
0287	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0288	2300 DTP03	Initial Treatment Date	required element missing	Edit is set if field is blank. Edit is set if value is not CCYYMMDD.
0289	2300 DTP	Date - Referral Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0291	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0293	2300 DTP	Date - Date Last Seen	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0295	2300 DTP02	Date Last Seen Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0297	2300 DTP	Date - Onset Of Current Illness/Symptom	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0299	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0301	2300 DTP	Date - Acute Manifestation	max segs for qual list	Edit is set if there are more than 5 segments applies to the loop/segment/qualifier.
0303	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0306	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0308	2300 DTP	Date - Accident	acc dt req if clm11-1, 2,3=aa, ab, ap, or oa	Edit is set if blank. This loop is required if the CLM11-1, CLM11-2, or CLM11-3 = AA, AB, AP or OA.
0309	2300 DTP	Date - Accident	max seg count exceeded	Edit sets if more than 10 2300 DTPs with qualifier of 439.
0311	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8 or DT.
0313	2300 DTP	Date - Last Menstrual Period	exceeds max segment/qualifier count	Required if 2000B PAT09=Y, Edit is set if more than 1 maximum loop/segment/qualifier.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0314	2300 DTP	Date - Last Menstrual Period	req when pregnancy is indicated	Edit is set when element blank and PAT09 is used in 2000B and the value = Y.
0316	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0318	2300 DTP	Date - Last X-Ray	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0320	2300 DTP02	X-Ray Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0322	2300 DTP	Date - Estimated Date Of Birth	max seg count exceeded	Required if PAT09= Y, Edit is set if there are more than 1 segment applies to the loop/segment/qualifier.
0323	2300 DTP	Date - Estimated Date Of Birth	req when pregnancy is indicated	Edit is set if element is missing but PAT09=Y.
0325	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0327	2300 DTP	Date - Hearing And Vision Prescription Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0329	2300 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0331	2300 DTP	Date - Disability Begin	max segs for qual list	Edit is set if there are more than 5 segments applies to the loop/segment/qualifier.
0333	2300 DTP02	Disability Begin Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0335	2300 DTP	Date - Disability End	max segs for qual list	Edit is set if there are more than 5 segments applies to the loop/segment/qualifier.
0337	2300 DTP02	Disability End Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0339	2300 DTP	Date - Last Worked	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0341	2300 DTP02	Last Worked Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0343	2300 DTP	Date - Authorized Return To Work	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0345	2300 DTP02	Authorized Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0347	2300 DTP	Date - Admission	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0349	2300 DTP02	Admission Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0351	2300 DTP	Date - Discharge	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0353	2300 DTP02	Discharge Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0355	2300 DTP	Date - Assumed And Relinquished Care Dates	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum total for all qualifiers listed.
0357	2300 DTP02	Assumed And Relinquished Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0360	2300 PWK01	Attachment Report Type Code	missing/invalid value	Edit is set if value is not 77, AS, B2, B3, B4, CT, DA, DG, DS, EB, MT, NN, OB, OZ, PN, PO, PZ, RB, RR, or RT.
0361	2300 PWK02	Attachment Transmission Code	missing/invalid value	Edit is set if value is not AA, BM, EL, EM, or FX.
0362	2300 PWK05	Claim Supplemental Identification Code Qualifier	value req when pwk02=bm, el, em, fx	Edit is set if value is not AC, but PWK02 = BM, EL, EM, or FX.
0363	2300 PWK06	Claim Supplemental Attachment Control Number	req if pwk02=bm, el, em, fx	Edit is set if element is missing and if PWK02=BM, EL, EM, FX .
0365	2300 CN101	Contract Type Code	missing/invalid value	Edit is set if value is not 02, 03, 04, 05, 06, or 09.
0366	2300 AMT	Credit/Debit Card Maximum Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier (MA).
0368	2300 AMT02	Credit Or Debit Card Maximum Amount	required element missing	Edit is set if AMT02 element is missing.
0369	2300 AMT	Patient Amount Paid	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier, F5.
0372	2300 AMT	Total Purchased Service Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 segment applies to the loop/segment/qualifier, NE.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0375	2300 REF	Service Authorization Exception Code	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0376	2300 REF01	Service Authorization Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 4N, F5, Y, N, EW, 9F, G1, F8, X4, 9A, 9C, LX, D9, 1S, EA, or P4.
0377	2300 REF02	Service Authorization Exception Code	missing/invalid value	Edit is set if value is not 1, 2, 3, 4, 5, 6, or 7.
0378	2300 REF	Mandatory Medicare (Section 4081) Crossover Indicator	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0380	2300 REF02	Medicare Section 4081 Indicator	Missing/invalid value	Edit sets if value not N or Y
0381	2300 REF	Mammography Certification Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0383	2300 REF02	Mammography Certification Number	required element missing	Edit is set if field is blank.
0384	2300 REF	Prior Authorization Or Referral Number	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum total for all qualifiers listed.
0386	2300 REF02	Prior Authorization Or Referral Number	required element missing	Edit is set if field is blank.
0387	2300 REF	Original Reference Number (Icn/Dcn)	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0389	2300 REF02	Claim Original Reference Number	req element missing when clm05-3=6, 7, 8	Edit is set if ELEMENT MISSING WHEN CLM05-3=6, 7, 8.
0390	2300 REF	Clinical Laboratory Improvement Amendment (CLIA) Number	exceeds max segs for qual	Edit is set if there are more than 3 maximum applies to the loop/segment/qualifier.
0392	2300 REF02	Clinical Laboratory Improvement Amendment Number	required element missing	Edit is set if field is blank.
0393	2300 REF	Repriced Claim Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0395	2300 REF02	Repriced Claim Reference Number	required element missing	Edit is set if field is blank.
0396	2300 REF	Adjusted Repriced Claim Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0398	2300 REF02	Adjusted Repriced Claim Reference Number	required element missing	Edit is set if field is blank.
0399	2300 REF	Investigational Device Exemption Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0401	2300 REF02	Investigational Device Exemption Number	required element missing	Edit is set if field is blank.
0402	2300 REF	Claim Identification Number For Clearing Houses And Other Transmission Intermediaries	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0404	2300 REF02	Clearinghouse Trace Number	required element missing	Edit is set if field is blank.
0405	2300 REF	Ambulatory Patient Group (Apg)	exceeds max segs for qual	Edit is set if there are more than 4 maximum applies to the loop/segment/qualifier.
0407	2300 REF02	Ambulatory Patient Group Number	required element missing	Edit is set if field is blank.
0408	2300 REF	Medical Record Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0410	2300 REF02	Medical Record Number	required element missing	Edit is set if field is blank.
0411	2300 REF	Demonstration Project Identifier	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0413	2300 REF02	Demonstration Project Identifier	required element missing	Edit is set if field is blank.
0414	2300 K3	File Information	exceeds max seg count	Edit is set if there are more than 10 segments.
0416	2300 NTE	Claim Note	exceeds max seg count	Edit is set if there are more than 1 segment.
0417	2300 NTE01	Note Reference Code	missing/invalid value	Edit is set if value is not ADD, CER, DCP, DGN, PMT, or TPO.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0420	2300 CR101	Ambulance Transport Unit Or Basis For Measurement Code	invalid value	Value if present, Edit is set if value is not LB.
0421	2300 CR103	Ambulance Transport Code	missing/invalid value	Edit is set if value is not I, R, T, or X.
0422	2300 CR104	Ambulance Transport Reason Code	missing/invalid value	Edit is set if value is not A, B, C, D, or E.
0423	2300 CR105	Ambulance Transport Unit Or Basis For Measurement Code	missing/invalid value	Edit is set if value is not DH.
0424	2300 CR106	Transport Distance	required element missing	Edit sets if field is not numeric.
0425	2300 CR109	Ambulance Transport Round Trip Purpose Description	req if cr103=x	Edit is set if element is missing and if CR103=X.
0427	2300 CR201	Spinal Manipulation Treatment Series Number	required element missing	Edit is set if field is blank.
0428	2300 CR202	Spinal Manipulation Treatment Count	required element missing	Edit is set if field is blank.
0429	2300 CR203	Spinal Manipulation Subluxation Level Code	invalid value	Value if present, Edit is set if value is not C1, C2, C3, C4, C5, C6, C7, CO, IL, L1, L2, L3, L4, L5, OC, SA, T1, T10, T11, T12, T2, T3, T4, T5, T6, T7, T8, or T9.
0430	2300 CR204	Spinal Manipulation Subluxation Level Code	invalid value	Value if present, Edit is set if value is not C1, C2, C3, C4, C5, C6, C7, CO, IL, L1, L2, L3, L4, L5, OC, SA, T1, T10, T11, T12, T2, T3, T4, T5, T6, T7, T8, or T9.
0431	2300 CR205	Spinal Manipulation Unit Or Basis For Measurement Code	missing/invalid value	Edit is set if value is not DA, MO, WK, or YR.
0432	2300 CR206	Spinal Manipulation Treatment Period Count	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0433	2300 CR207	Spinal Manipulation Monthly Treatment Count	required element missing	Edit is set if field is blank.
0434	2300 CR208	Spinal Manipulation Patient Condition Code	missing/invalid value	Edit is set if value is not A, C, D, E, F, G, or M.
0435	2300 CR209	Spinal Manipulation Complication Indicator	missing/invalid value	Edit is set if value is not N or Y.
0436	2300 CR212	Spinal Manipulation X-Ray Availability Indicator	missing/invalid value	Edit is set if value is not N or Y.
0437	2300 CRC	Ambulance Certification	CRC seg missing when cr1 is used	Edit is set if CRC segment missing CR1 present or the submitted qualifier value of the CRC is not 07. Reporting uses the 1st loop occurrence after the 2300 of the submitted file in the REC TYPE column in the AR04.
0438	2300 CRC	Ambulance Certification	max seg count exceeded	Edit is set if there are more than 3 segments applies to the loop/segment/qualifier.
0439	2300 CRC01	Ambulance Code Category	missing/invalid value	Edit is set if value is not 07.
0440	2300 CRC02	Ambulance Certification Condition Indicator	missing/invalid value	Edit is set if value is not N or Y.
0441	2300 CRC03	Ambulance Condition Code	missing/invalid value	Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0442	2300 CRC04	Ambulance Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0443	2300 CRC05	Ambulance Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0444	2300 CRC06	Ambulance Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0445	2300 CRC07	Ambulance Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0446	2300 CRC	Patient Condition Information: Vision	exceeds max segs for qual	Edit is set if there are more than 3 maximum total for all qualifiers listed.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0448	2300 CRC02	Patient Condition Certification Condition Indicator	missing/invalid value	Edit is set if value is not N or Y.
0449	2300 CRC03	Patient Condition Indicator	missing/invalid value	Edit is set if value is not L1, L2, L3, L4, or L5.
0450	2300 CRC04	Patient Condition Indicator	invalid value	Value if present, Edit is set if value is not L1, L2, L3, L4, or L5.
0451	2300 CRC05	Patient Condition Indicator	invalid value	Value if present, Edit is set if value is not L1, L2, L3, L4, or L5.
0452	2300 CRC06	Patient Condition Indicator	invalid value	Value if present, Edit is set if value is not L1, L2, L3, L4, or L5.
0453	2300 CRC07	Patient Condition Indicator	invalid value	Value if present, Edit is set if value is not L1, L2, L3, L4, or L5.
0454	2300 CRC	Homebound Indicator	exceeds max seg count	Edit is set if there are more than 1 segment.
0456	2300 CRC02	Homebound Certification Condition Indicator	missing/invalid value	Edit is set if value is not Y.
0457	2300 CRC03	Homebound Indicator	missing/invalid value	Edit is set if value is not IH
0458	2300 HI	Health Care Diagnosis Code	exceeds max seg count	Edit is set if there are more than 1 segment.
0460	2300 HI01-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BK.
0462	2300 HI02-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.
0464	2300 HI03	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0465	2300 HI03-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.
0467	2300 HI04	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0468	2300 HI04-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.
0470	2300 HI05	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0471	2300 HI05-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.
0473	2300 HI06	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0474	2300 HI06-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0476	2300 HI07	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0477	2300 HI07-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF.
0479	2300 HI08	Health Care Code Information	elements edit is set if value is not listed in order	Prev HI/DX segment blank
0480	2300 HI08-1	Diagnosis Type Code	missing/invalid value	Edit is set if value is not BF
0483	2300 HCP01	Pricing Methodology	missing/invalid value	Edit is set if value is not 00, 01, 02, 03, 04, 05, 07, 08, 09, 10, 11, 12, 13, or 14.
0484	2300 HCP02	Repriced Allowed Amount	required element missing	Edit is set if field is blank.
0485	2300 HCP13	Reject Reason Code	invalid value	Value if present, Edit is set if value is not T1, T2, T3, T4, T5, or T6.
0486	2300 HCP14	Policy Compliance Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, or 5.
0487	2300 HCP15	Exception Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, 5, or 6.
0488	2305 CR7	Home Health Care Plan Information	Max looprepeat	Max number of loops exceeded (6)
0489	2305 CR701	Discipline Type Code	missing/invalid value	Edit is set if value is not AI, MS, OT, PT, SN, or ST.
0492	2305 HSD	Health Care Services Delivery	exceeds max seg count	Edit is set if there are more than 3 segments.
0493	2305 HSD01	Health Care Services Visits	invalid value	Value if present, Edit is set if value is not VS.
0494	2305 HSD03	Health Care Services Frequency Period	invalid value	Value if present, Edit is set if value is not DA, MO, Q1, or WK.
0495	2305 HSD05	Health Care Services Duration Of Visits Units	invalid value	Value if present, Edit is set if value is not 7 or 35.
0496	2305 HSD07	Health Care Services Ship, Delivery Or Calendar Pattern Code	invalid value	Value if present, Edit is set if value is not 1-7, A-H, J-L, N, O, S, SA, SB, SC, SD, SG, SL, SP, SX, SY, SZ, W.
0497	2305 HSD08	Health Care Services Delivery Pattern Time Code	invalid value	Value if present, Edit is set if value is not D, E, F.
0498	2310A NM1	Referring Provider Name	max seg count	More than 2 2310A Loops
0499	2310A NM1	Referring Provider Name	nm1 seg not found in 2310a loop	Edit is set if blank but NM1 segment not found in 2310A Loop.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0501	2310A NM102	Referring Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0502	2310A NM103	Referring Provider Last Name	required element missing	Edit is set if field is blank.
0503	2310A NM104	Referring Provider First Name	required when entity type is person	Edit is set if blank but if NM102=1(person).
0504	2310A NM108	Referring Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0506	2310A PRV01	Referring Provider Code	missing/invalid value	Edit is set if value is not a value RF.
0507	2310A PRV02	Referring Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not ZZ.
0509	2310A N2	Additional Referring Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0511	2310A REF	Referring Provider Secondary Identification	max seg count exceeded	Req if NM108 is not used, Edit is set if there are more than 5 segments.
0513	2310A REF01	Referring Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0514	2310A REF02	Referring Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0515	2310B NM1	Rendering Provider Name	max seg count exceeded	Edit is set if there is more than 1 segment.
0516	2310B NM1	Rendering Provider Name	NM1 seg not found in 2310b loop	Edit is set if blank and Loop is used.
0517	2310B NM101	Rendering Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not 82.
0518	2310B NM102	Rendering Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0519	2310B NM103	Rendering Provider Last Or Organization Name	required element missing	Edit is set if field is blank.
0520	2310B NM104	Rendering Provider First Name	required when entity type is person	Edit is set if blank and NM102=1 (person).
0521	2310B NM108	Rendering Provider Identification Code Qualifier	missing/invalid value	Edit is set if value is not 24, 34, or XX.
0522	2310B NM109	Rendering Provider Identifier	required element missing	Edit is set if NM108 has a value of 24 or 34 and NM109 is missing or an invalid value.
0524	2310B PRV	Rendering Provider Specialty Information	PRV seg not found in 2310b loop	Edit is set if blank but loop is used.
0525	2310B PRV01	Rendering Provider Code	missing/invalid value	Edit is set if value is not PE.
0526	2310B PRV02	Rendering Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not ZZ.
0528	2310B N2	Additional Rendering Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0529	2310B N201	Rendering Provider Name Additional Text	required element missing	Edit is set if field is blank.
0530	2310B REF	Rendering Provider Secondary Identification	exceeds max segment count	Edit sets if more than 5 segments
0531	2310B REF01	Rendering Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0532	2310B REF02	Rendering Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0534	2310C NM1	Purchased Service Provider Name	max seg count exceeded	Req if loop used and Edit is set if there are more than 1 segment.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0535	2310C NM101	Purchased Service Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not QB.
0536	2310C NM102	Purchased Service Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0537	2310C NM108	Purchased Service Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0538	2310C REF	Purchased Service Provider Secondary Identification	exceeds max segment count	Edit is set if there are more than 5 segments.
0539	2310C REF01	Purchased Service Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0540	2310C REF02	Purchased Service Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0541	2310D NM1	Service Facility Location	max seg count exceeded	Edit is set if there are more than 1 segment.
0542	2310D NM1	Service Facility Location	nm1 seg not found in 2310d loop	Edit is set if blank but loop is used.
0543	2310D NM101	Service Facility Entity Identifier Code	missing/invalid value	Edit is set if value is not 77, FA, LI, or TL.
0544	2310D NM102	Service Facility Entity Type Qualifier	missing/invalid value	Edit is set if value is not 2.
0545	2310D NM108	Service Facility Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0546	2310D N2	Additional Service Facility Location Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0548	2310D N3	Service Facility Location Address	max seg count exceeded	Edit is set if there are more than 1 segment.
0549	2310D N3	Service Facility Location Address	N3 seg not found in 2310d loop	Edit is set if blank but loop is used.
0551	2310D N4	Service Facility Location City/State/Zip	exceeds max segment	Edit sets if more than 1 segment.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0552	2310D N4	Service Facility Location City/State/Zip	N4 seg not found in 2310d loop	Edit is set if blank and Loop used.
0553	2310D N401	Laboratory Or Facility City Name	required element missing	Edit is set if field is blank.
0554	2310D N402	Laboratory Or Facility State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.
0555	2310D N403	Laboratory Or Facility Postal Zone Zip Code	required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
0556	2310D REF	Service Facility Location Secondary Identification	exceeds max seg count	Edit is set if there are more than 5 segments.
0557	2310D REF01	Service Facility Location Reference Identification Qualifier	missing/invalid value	Edit is set if value is not a value, OB, 1A, 1B, 1C, 1D, 1G, 1H, G2, LU, N5, TJ, X4 or X5.
0558	2310D REF02	Laboratory Or Facility Secondary Identifier	required element missing	Edit is set if field is blank.
0559	2310E NM1	Supervising Provider Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0560	2310E NM1	Supervising Provider Name	NM1 seg not found in 2310e loop	Edit is set if element is blank but loop used.
0561	2310E NM101	Supervising Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not DQ.
0562	2310E NM102	Supervising Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1.
0563	2310E NM103	Supervising Provider Last Name	required element missing	Edit is set if field is blank.
0564	2310E NM104	Supervising Provider First Name	required element missing	Edit is set if field is blank.
0565	2310E NM108	Supervising Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0566	2310E N2	Additional Supervising Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0568	2310E REF	Supervising Provider Secondary Identifier	exceeds max seg count	Edit is set if there are more than 5 segments.
0569	2310E REF01	Supervising Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0570	2310E REF02	Supervising Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0571	2320 SBR	Other Subscriber Information	Max/loop seg count exceeded	More than 10 loops submitted in the 2320
0572	2320 SBR01	Payer Responsibility Sequence Number Code	missing/invalid value	Edit is set if value is not P, S, or T.
0573	2320 SBR02	Individual Relationship Code	missing/invalid value	Edit is set if value is not 01, 04, 05, 07, 10, 15, 17, 18, 19, 20, 21, 22, 23, 24, 29, 32, 33, 36, 39, 40, 41, 43, 53, or G8.
0574	2320 SBR05	Insurance Type Code	missing/invalid value	Edit is set if value is not AP, C1, CP, GP, HM, IP, LD, LT, MB, MC, MI, MP, OT, PP, or SP.
0575	2320 SBR09	Claim Filing Indicator Code	invalid value	Edit is set if value is not 09, 10, 11, 12, 13, 14, 15, 16, AM, BL, CH, CI, DS, HM, LI, LM, MB, MC, OF, TV, VA, WC, or ZZ.
0576	2320 CAS	Claim Level Adjustments	exceeds max segment count	Edit is set if there are more than 5 segments.
0577	2320 CAS01	Claim Level Adjustment Group Code	missing/invalid value	Edit is set if value is not CO, CR, OA, PI, or PR.
0580	2320 AMT	COB Payer Paid Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier D.
0581	2320 AMT01	COB Payer Amount Qualifier Code	missing/invalid value	Edit is set if value is not a valid value. (D, AAE, B6, F2, AU, D8, DY, F5, T, T2)
0583	2320 AMT	COB Approved Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0586	2320 AMT	COB Allowed Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0589	2320 AMT	COB Patient Responsibility Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0592	2320 AMT	COB Covered Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0595	2320 AMT	COB Discount Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0598	2320 AMT	COB Per Day Limit Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0601	2320 AMT	COB Patient Paid Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0604	2320 AMT	COB Tax Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0607	2320 AMT	COB Total Claim Before Taxes Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0609	2320 AMT02	Other Payer Pre-Tax Claim Total Amount	required element missing	Edit is set if field is blank.
0611	2320 DMG	Subscriber Demographic Information	req seg missing DMG	Edit is set if segment missing but 2330A/nm102=1.
0612	2320 DMG01	Subscriber Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0613	2320 DMG02	Other Insured Birth Date	required element missing	Edit is set if field is blank. CCYYMMDD
0614	2320 DMG03	Other Insured Gender Code	Missing/invalid value	Edit sets if value not M, F or U.
0616	2320 OI	Other Insurance Coverage Information	req seg missing 2320/oi	Edit is set if element is blank but loop used.
0617	2320 OI03	Benefits Assignment Certification Indicator	missing/invalid value	Edit is set if value is not N, or Y.
0618	2320 OI04	Patient Signature Source Code	value req when oi06 not n	Req if OI06 not a N and Edit is set if value is not B, C, M, P, or S.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
0619	2320	OI06	Release Of Information Code	missing/invalid value	Edit is set if value is not A, I, M, N, O, or Y.
0622	2330A	NM1	Other Subscriber Name	nm1 seg not in 2330a loop	Req if 2320 loop used, NM1 SEG NOT IN 2330A Loop.
0623	2330A	NM101	Other Subscriber Entity Identifier Code	missing/invalid value	Edit is set if value is not IL.
0624	2330A	NM102	Other Subscriber Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0625	2330A	NM103	Other Insured Last Name	required element missing	Edit is set if field is blank.
0626	2330A	NM104	Other Insured First Name	required when entity type is person	Edit is set if element is missing and NM102=1(person).
0627	2330A	NM108	Other Subscriber Identification Code Qualifier	missing/invalid value	Edit is set if value is not MI, or ZZ.
0628	2330A	NM109	Other Insured Identifier	required element missing	Edit is set if field is blank.
0629	2330A	N2	Additional Other Subscriber Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0631	2330A	N3	Other Subscriber Address	exceeds max seg count	Edit is set if there are more than 1 segment.
0635	2330A	REF01	Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1W, 23, IG, or SY.
0636	2330A	REF02	Other Insured Additional Identifier	required element missing	Edit is set if field is blank.
0637	2330B	NM1	Other Payer Name	NM1 not found in 2330B loop	Edit is set if 2320 Loop used, and NM1 is missing in the 2330 B loop.
0638	2330B	NM1	Other Payer Name	max seg count exceeded	Edit is set if there are more than 1 segment.
0639	2330B	NM101	Entity Identifier Code	missing/invalid value	Edit is set if value is not PR.
0640	2330B	NM102	Entity Type Qualifier	missing/invalid value	Edit is set if value is not 2.
0641	2330B	NM103	Other Payer Last Or Organization Name	required element missing	Edit is set if field is blank.
0642	2330B	NM108	Identification Code Qualifier	missing/invalid value	Edit is set if value is not PI, or XV.
0643	2330B	NM109	Other Payer Primary Identifier	required element missing	Edit is set if field is blank.
0644	2330B	N2	Additional Other Payer Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0647	2330B PER01	Additional Other Payer Contact Function Code	missing/invalid value	Edit is set if value is not IC.
0648	2330B PER02	Other Payer Contact Name	required element missing	Edit is set if field is blank.
0649	2330B PER03	Additional Other Payer Communication Number Qualifier	missing/invalid value	Edit is set if value is not ED, EM, FX, or TE.
0650	2330B PER04	Additional Other Payer Communication Number	required element missing	Edit is set if field is blank.
0651	2330B PER05	Additional Other Payer Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not ED, EM, EX, FX or TE.
0652	2330B PER07	Additional Other Payer Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not ED, EM, EX, FX or TE.
0653	2330B DTP	Claim Adjudication Date	exceeds max seg count	Edit is set if there are more than 1 segment.
0654	2330B DTP01	Claim Adjudication Date Time Qualifier	missing/invalid value	Edit is set if value is not 573.
0655	2330B DTP02	Claim Adjudication Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0657	2330B REF	Other Payer Secondary Identifier	exceeds max seg count for qual list	More than 2 maximum 2330B REF segments for qualifiers 2U, F8, FY, NF, and TJ. 3 REF segments in the 2330B loop but only 2 per qualifier (or set of qualifiers – may be 2 of the same qualifier).
0658	2330B REF01	Other Payer Secondary Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 2U, F8, FY, NF, TJ, 9F, G1 or T4.
0659	2330B REF02	Other Payer Secondary Identifier	required element missing	Edit is set if field is blank.
0660	2330B REF	Other Payer Prior Authorization Or Referral Number	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum total for all qualifiers listed.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0662	2330B REF02	Other Payer Prior Authorization Or Referral Number	required element missing	Edit is set if field is blank.
0663	2330B REF	Other Payer Claim Adjustment Indicator	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum for loop/segment/qualifier (T4 qualifier).
0665	2330B REF02	Other Payer Claim Adjustment Indicator	missing/invalid value	Edit sets if value is not Y.
0666	2330C NM1	Other Payer Patient Information	max seg count exceeded	Edit is set if there are more than 1 segment.
0667	2330C NM1	Other Payer Patient Information	NM1 seg not found in 2330C loop	Edit is set if element is blank but loop used.
0668	2330C NM101	Other Payer Patient Entity Identifier Code	missing/invalid value	Edit is set if value is not QC.
0669	2330C NM102	Other Payer Patient Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1.
0670	2330C NM103	Patient Last Name	required element missing	Edit is set if field is blank.
0671	2330C NM108	Other Payer Patient Identification Code Qualifier	missing/invalid value	Edit is set if value is not MI.
0672	2330C NM109	Other Payer Patient Primary Identifier	required element missing	Edit is set if field is blank.
0674	2330C REF01	Other Payer Patient Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1W, 23, IG, or SY.
0675	2330C REF02	Other Payer Patient Secondary Identifier	required element missing	Edit is set if field is blank.
0676	2330D NM1	Other Payer Referring Provider	max seg count exceeded	Required if loop used. Edit is set if there are more than 2 segments.
0677	2330D NM1	Other Payer Referring Provider	NM1 seg not in 2330D loop	Edit is set if element is blank but loop used.
0678	2330D NM101	Other Payer Referring Entity Identifier Code	missing/invalid value	Edit sets if 2nd 2330D NM101 submitted value is not P3

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0679	2330D NM102	Other Payer Referring Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0680	2330D NM103	Referring Provider Last Name	required element missing	Edit is set if field is blank.
0682	2330D REF	Other Payer Referring Provider Identification	ref seg missing in 2330d	Req if Loop used REF seg missing in 2330D.
0683	2330D REF01	Other Payer Referring Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1B, 1C, 1D, EI, G2, LU, or N5.
0684	2330D REF02	Other Payer Referring Provider Identification	required element missing	Edit is set if field is blank.
0685	2330E NM1	Other Payer Rendering Provider	max seg count exceeded	Req if loop used Edit is set if there are more than 1 segment.
0686	2330E NM1	Other Payer Rendering Provider	NM1 seg not found in 2330E loop	Edit is set if element is blank but loop used.
0687	2330E NM101	Other Payer Rendering Entity Identifier Code	missing/invalid value	Edit is set if value is not 82.
0688	2330E NM102	Other Payer Rendering Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0689	2330E NM103	Rendering Provider Last Or Organization Name	required element missing	Edit is set if field is blank.
0691	2330E REF	Other Payer Rendering Provider Secondary Identification	ref seg missing in 2330e	Req if loop used REF seg missing in 2330E Loop.
0692	2330E REF01	Other Payer Rendering Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1B, 1C, 1D, EI, G2, LU, or N5.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0693	2330E REF02	Other Payer Rendering Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0694	2330F NM1	Other Payer Purchased Service Provider	NM1 seg not found in 2330f loop	Req if loop used NM1 seg not found in 2330F Loop.
0695	2330F NM1	Other Payer Purchased Service Provider	max seg count exceeded	Edit is set if there are more than 1 segment.
0696	2330F NM101	Other Payer Purchase Service Entity Identifier Code	missing/invalid value	Edit is set if value is not QB.
0697	2330F NM102	Other Payer Purchase Entity Type Qualifier+D1090	missing/invalid value	Edit is set if value is not 1 or 2.
0698	2330F NM103	Other Payer Purchased Service Provider Name	required element missing	Edit is set if field is blank.
0700	2330F REF	Other Payer Purchased Service Provider Identification	ref seg missing in 2330f	Edit is set if element is blank but loop used.
0701	2330F REF01	Other Payer Purchase Service Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1A, 1B, 1C, 1D, EI, G2, LU, or N5.
0702	2330F REF02	Other Payer Purchased Service Provider Identifier	required element missing	Edit is set if field is blank.
0703	2330G NM1	Other Payer Service Facility Location	max seg count exceeded	Edit is set if more than one NM1 segment per 2330G loop.
0704	2330G NM1	Other Payer Service Facility Location	NM1 seg not found in 2330B loop	Req if loop used, NM1 SEG NOT FOUND IN 2330G LOOP
0705	2330G NM101	Other Payer Service Facility Location Entity Identifier Code	missing/invalid value	Edit is set if value is not 77, FA, LI, or TL

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0706	2330G NM102	Other Payer Service Facility Location Entity Type Qualifier	missing/invalid value	Edit is set if value is not 2
0707	2330G NM103	Service Facility Name	required element missing	Edit is set if field is blank.
0709	2330G REF	Other Payer Service Facility Location Identification	ref seg missing in 2330g	Req if loop used REF SEG MISSING IN 2330G
0710	2330G REF01	Other Payer Service Facility Location Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1A, 1B, 1C, 1D, EI, G2, LU, or N5
0711	2330G REF02	Other Payer Service Facility Location Identifier	required element missing	Edit is set if field is blank.
0712	2330H NM1	Other Payer Supervising Provider	max seg count exceeded	Req if loop used Edit is set if there are more than 1 segment
0713	2330H NM1	Other Payer Supervising Provider	NM1 seg not found in 2330H loop	Edit sets if NM1 seg not found in 2330H loop
0714	2330H NM101	Other Payer Supervising Entity Identifier Code	missing/invalid value	Edit is set if value is not DQ
0715	2330H NM102	Other Payer Supervising Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1
0716	2330H NM103	Supervising Provider Last Name	required element missing	Edit is set if field is blank.
0718	2330H REF	Other Payer Supervising Provider Identification	REF seg missing in 2330H	Edit sets if REF seg not found in 2330H loop
0719	2330H REF01	Other Payer Supervising Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 1B, 1C, 1D, EI, G2, or N5

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0720	2330H REF02	Other Payer Supervising Provider Identifier	required element missing	Edit is set if field is blank.
0721	2400 LX	Service Line	max seg count exceeded	Maximum number (50) of segments exceeded.
0725	2400 SV1	Professional Service	required seg missing	Edit is set if field is blank.
0727	2400 SV101-1	Product Or Service Id Qualifier	missing/invalid value	Edit is set if value is not HC, IV, N1, N2, N3, N4, or ZZ.
0729	2400 SV102	Line Item Charge Amount	required element missing	Edit is set if field is blank.
0730	2400 SV103	Unit Or Basis For Measurement Code	missing/invalid value	Edit is set if value is not F2, MJ, or UN.
0731	2400 SV104	Service Unit Count	required element missing	Edit is set if field is non-numeric.
0733	2400 SV105	Place Of Service Code	invalid value	Value if present, Edit is set if value is not, 03, 04, 05, 06, 07, 08, 11, 12, 13, 14, 15, 20, 21, 22, 23, 24, 25, 26, 31, 32, 33, 34, 41, 42, 49, 50, 51, 52, 53, 54, 55, 56, 57, 60, 61, 62, 65, 71, 72, 81, 99.
0734	2400 SV107-1	Diagnosis Code Pointer	invalid value	Edit sets if present, value is not 1-8
0735	2400 SV107-2	Diagnosis Code Pointer	invalid value	Edit sets if present, value is not 1-8
0736	2400 SV107-3	Diagnosis Code Pointer	invalid value	Edit sets if present, value is not 1-8
0737	2400 SV107-4	Diagnosis Code Pointer	invalid value	Edit sets if present, value is not 1-8
0738	2400 SV109	Emergency Indicator	missing/invalid value	Edit is set if value is not N or Y.
0739	2400 SV111	EPSDT Indicator	invalid value	Value if present, Edit is set if value is not Y.
0740	2400 SV112	Family Planning Indicator	invalid value	Value if present, Edit is set if value is not Y.
0741	2400 SV115	Co-Pay Status Code	invalid value	Value if present, Edit is set if value is not 0.
0744	2400 PWK	DMERC CMN Indicator	exceeds max seg count	Edit is set if there are more than 1 segment.
0745	2400 PWK01	Attachment Report Type Code	missing/invalid value	Edit is set if value is not CT.
0746	2400 PWK02	Attachment Transmission Code	missing/invalid value	Edit sets if value is not AB, AD, AF, AG or NS

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0748	2400 CR101	Ambulance Transport Unit Or Basis For Measurement Code	invalid value	Value if present, Edit is set if value is not LB.
0749	2400 CR103	Ambulance Transport Code	missing/invalid value	Edit is set if value is not I, R, T, or X.
0750	2400 CR104	Ambulance Transport Reason Code	missing/invalid value	Edit is set if value is not A, B, C, D, or E.
0751	2400 CR105	Ambulance Transport Unit Or Basis For Measurement Code	missing/invalid value	Edit is set if value is not DH.
0752	2400 CR106	Ambulance Transport Distance	required element missing	Edit is set if field not numeric or not greater than zero.
0753	2400 CR109	Ambulance Round Trip Purpose Description	req if cr103=x	Edit is set if blank and if CR103=X.
0755	2400 CR201	Spinal Treatment Series Number	required element missing	Edit is set if field is blank.
0756	2400 CR202	Spinal Treatment Count	required element missing	Edit is set if field is blank.
0757	2400 CR203	Subluxation Level Code	invalid value	Value if present, Edit is set if value is not C1, C2, C3, C4, C5, C6, C7, CO, IL, L1, L2, L3, L4, L5, OC, SA, T1, T10, T11, T12, T2, T3, T4, T5, T6, T7, T8, or T9.
0758	2400 CR204	Subluxation Level Code	invalid value	Value if present, Edit is set if value is not C1, C2, C3, C4, C5, C6, C7, CO, IL, L1, L2, L3, L4, L5, OC, SA, T1, T10, T11, T12, T2, T3, T4, T5, T6, T7, T8, or T9.
0759	2400 CR205	Unit or Basis for Measurement Code	missing/invalid value	Edit sets if value is not DA, MO, WK or YR
0760	2400 CR206	Treatment Period Count	required element missing	Edit is set if field is blank.
0761	2400 CR207	Monthly Treatment Count	required element missing	Edit is set if field is blank.
0762	2400 CR208	Patient Condition Code	missing/invalid value	Edit is set if value is not A, C, D, E, F, G, or M.
0763	2400 CR209	Complication Indicator	missing/invalid value	Edit is set if value is not N or Y.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0764	2400 CR212	X-Ray Availability Indicator	missing/invalid value	Edit is set if value is not N or Y.
0768	2400 CR303	Quantity	Invalid value	Edit is set if segment used and value is not numeric.
0770	2400 CR501	Certification Type Code	missing/invalid value	Edit is set if value is not I, R, or S.
0771	2400 CR502	Treatment Period Count	required element missing	Edit is set if field is blank.
0772	2400 CR512	Oxygen Test Condition Code	missing/invalid value	Edit is set if value is not E, R, or S.
0773	2400 CR513	Oxygen Test Findings Code	invalid value	Value if present, Edit is set if value is not 1.
0774	2400 CR514	Oxygen Test Findings Code	invalid value	Value if present, Edit is set if value is not 2.
0775	2400 CR515	Oxygen Test Findings Code	invalid value	Value if present, Edit is set if value is not 3.
0777	2400 CRC01	Code Category	missing/invalid value	Edit is set if value is not 07, 70, 09 and 11.
0778	2400 CRC02	Certification Condition Indicator	missing/invalid value	Edit is set if value is not N or Y.
0779	2400 CRC03	Condition Code	missing/invalid value	Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0780	2400 CRC04	Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0781	2400 CRC05	Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0782	2400 CRC06	Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0783	2400 CRC07	Condition Code	invalid value	Value if present, Edit is set if value is not 01, 02, 03, 04, 05, 06, 07, 08, 09, or 60.
0784	2400 CRC	Hospice Employee Indicator	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0786	2400 CRC02	Hospice Employed Provider Indicator	missing/invalid value	Edit is set if value is not N or Y.
0787	2400 CRC03	Condition Indicatory	missing/invalid value	Edit is set if value is not 65.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0796	2400 DTP	Date - Service Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the 472 qualifier., DTP segment count is a total of 15 max including all combinations of qualifiers. Note: This will abend the MCS system if this edit is turned off and date is entered with a year date of 1899 or less.
0797	2400 DTP01	Date Time Qualifier	missing/invalid value	Edit is set if value is not 472, 607, 330, 463, 461, 938, 304, 738, 739, 119, 480, 481, 011, 431, 455, 453, 454, 438.
0798	2400 DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8 or RD8.
0804	2400 DTP	Date - Referral Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0806	2400 DTP02	Referral Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0808	2400 DTP	Date - Begin Therapy Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0810	2400 DTP02	Begin Therapy Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8 with a 463 qualifier.
0812	2400 DTP	Date - Last Certification Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0814	2400 DTP02	Last Certification Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0816	2400 DTP	Date - Order Date	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0818	2400 DTP02	Order Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0820	2400 DTP	Date - Date Last Seen	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0822	2400 DTP02	Last Seen Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8
0824	2400 DTP	Date - Test	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum total for all qualifiers listed.
0826	2400 DTP02	Test Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0828	2400 DTP	Date - Oxygen Saturation/Arterial Blood Gas Test	exceeds max segs for qual	Edit is set if there are more than 3 maximum is a total for all qualifiers listed.
0830	2400 DTP02	Oxygen Saturation Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0832	2400 DTP	Date - Shipped	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0834	2400 DTP02	Shipped Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8
0836	2400 DTP	Date - Onset Of Current Symptom/Illness	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0838	2400 DTP02	Onset Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0840	2400 DTP	Date - Last X-Ray	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the Loop/segment/qualifier.
0842	2400 DTP02	Last X-Ray Date Time Period Format Qualifier	invalid value	Edit is set if value is RD8.
0844	2400 DTP	Date - Acute Manifestation	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0846	2400 DTP02	Acute Manifestation Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0848	2400 DTP	Date - Initial Treatment	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0850	2400 DTP02	Initial Treatment Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0852	2400 DTP	Date - Similar Illness/Symptom Onset	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0854	2400 DTP02	Similar Illness Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.
0857	2400 QTY01	Anesthesia Quantity Qualifier	missing/invalid value	Edit is set if value is not BF, EC, EM, HM, HO, HP, P3, P4, P5, or SG.
0858	2400 QTY02	Anesthesia Modifying Units	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0860	2400 MEA01	Test Result Measurement Reference Identification Code	missing/invalid value	Edit is set if value is not OG or TR.
0861	2400 MEA02	Test Result Measurement Qualifier	missing/invalid value	Edit is set if value is not CON, GRA, HT, R1, R2, R3, R4 or ZO.
0862	2400 MEA03	Test Results	required element missing	Edit is set if field is blank.
0864	2400 CN101	Contract Type Code	missing/invalid value	Edit is set if value is not 01, 02, 03, 04, 05, 06, or 09.
0865	2400 REF	Repriced Line Item Reference Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0866	2400 REF01	Repriced Line Item Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 9B, 9D, 9F, G1, 6R, EW, X4, F4, BT, 1S, TP, OZ, VP.
0867	2400 REF02	Repriced Line Item Reference Number	required element missing	Edit is set if field is blank.
0868	2400 REF	Adjusted Repriced Line Item Reference Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0870	2400 REF02	Adjusted Repriced Line Item Reference Number	required element missing	Edit is set if field is blank.
0871	2400 REF	Prior Authorization Or Referral Number	exceeds max seg count for qual list	Edit is set if there are more than 2 maximum total for all qualifiers listed.
0873	2400 REF02	Prior Authorization Or Referral Number	required element missing	Edit is set if field is blank.
0874	2400 REF	Line Item Control Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0876	2400 REF02	Line Item Control Number	required element missing	Edit is set if field is blank.
0877	2400 REF	Mammography Certification Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0879	2400 REF02	Mammography Certification Number	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0880	2400 REF	Clinical Laboratory Improvement Amendment (CLIA) Identification	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0882	2400 REF02	Clinical Laboratory Improvement Amendment Number	required element missing	Edit is set if field is blank.
0883	2400 REF	Referring Clinical Laboratory Improvement Amendment (CLIA) Facility Identification	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0885	2400 REF02	Referring Clia Number	required element missing	Edit is set if field is blank.
0886	2400 REF	Immunization Batch Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0888	2400 REF02	Immunization Batch Number	required element missing	Edit is set if field is blank.
0890	2400 REF02	Ambulatory Patient Group Number	required element missing	Edit is set if field is blank.
0891	2400 REF	Oxygen Flow Rate	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0893	2400 REF02	Oxygen Flow Rate	required element missing	Edit is set if field is blank.
0894	2400 REF	Universal Product Number (UPN)	exceeds max seg/qualifier total	Edit is set if there are more than 1 maximum total for all qualifiers listed.
0896	2400 REF02	Universal Product Number	required element missing	Edit is set if field is blank.
0897	2400 AMT	Sales Tax Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0898	2400 AMT01	Sales Tax Amount Qualifier Code	missing/invalid value	Edit is set if value is not T, AAE, or F4.
0900	2400 AMT	Approved Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.
0903	2400 AMT	Postage Claimed Amount	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the loop/segment/qualifier.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0908	2400 NTE	Line Note	exceeds max seg count	Edit is set if there are more than 1 segment.
0909	2400 NTE01	Note Reference Code	missing/invalid value	Edit is set if value is not ADD, DCP, PMT, or TPO.
0914	2400 PS102	Monetary Amount	Invalid value	Edit is set if segment is used and value is not numeric.
0916	2400 HSD01	Health Care Services Visits	invalid value	Value if present, Edit is set if value is not VS.
0917	2400 HSD03	Health Care Services Frequency Period	invalid value	Value if present, Edit is set if value is not DA, MO, Q1, or WK.
0918	2400 HSD05	Health Care Services Duration Of Visits Units	invalid value	Value if present, Edit is set if value is not 7, 34, or 35.
0919	2400 HSD07	Health Care Services Ship, Delivery Or Calendar Pattern Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, 5, 6, 7, A, B, C, D, E, F, G, H, J, K, L, N, O, SA, SB, SC, SD, SG, SL, SP, SX, SY, SZ, or W.
0920	2400 HSD08	Health Care Services Delivery Pattern Time Code	invalid value	Value if present, Edit is set if value is not D, E, F.
0922	2400 HCP01	Line Pricing Methodology	missing/invalid value	Edit is set if value is not 00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, or 14.
0923	2400 HCP02	Repriced Allowed Amount	required element missing	Edit is set if field is blank.
0924	2400 HCP09	Product Or Service Id Qualifier	invalid value	Value if present, Edit is set if value is not HC, IV, or ZZ.
0925	2400 HCP11	Unit Or Basis For Measurement Code	invalid value	Value if present, Edit is set if value is not DA, or UN.
0926	2400 HCP13	Reject Reason Code	invalid value	Value if present, Edit is set if value is not T1, T2, T3, T4, T5, or T6.
0927	2400 HCP14	Policy Compliance Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, or 5.
0928	2400 HCP15	Exception Code	invalid value	Value if present, Edit is set if value is not 1, 2, 3, 4, 5, or 6.
0929	2420A NM1	Rendering Provider Name	max seg count exceeded	Req if loop used, Edit is set if there are Edit is set if there are more than 1 segment.
0930	2420A NM1	Rendering Provider Name	NM1 not found in 2420A loop	Edit is set if element is blank but loop used.
0931	2420A NM101	Rendering Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not 82.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0932	2420A NM102	Rendering Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0933	2420A NM103	Rendering Provider Last Or Organization Name	required element missing	Edit is set if field is blank.
0934	2420A NM104	Rendering Provider First Name	required when entity type is person	Edit is set if blank and NM102=1 for PERSON.
0935	2420A NM108	Rendering Provider Identification Code Qualifier	missing/invalid value	Edit is set if value is not 24, 34, or XX.
0936	2420A NM109	Rendering Provider Identifier	required element missing	Edit is set if NM108 has a value of 24 or 34 and NM109 is missing or an invalid value.
0938	2420A PRV	Rendering Provider Specialty Information	PRV seg not found in 2420a loop	Req if 2420 A loop used, PRV seg not found.
0939	2420A PRV01	Rendering Provider Code	missing/invalid value	Edit is set if value is not PE.
0940	2420A PRV02	Rendering Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not ZZ.
0942	2420A N2	Additional Rendering Provider Name Information	exceeds max seg count	Edit is set if there are Edit is set if there are more than 1 segment.
0944	2420A REF	Rendering Provider Secondary Identification	exceeds max segment count	Edit is set if there are Edit is set if there are more than 5 segments.
0945	2420A REF01	Rendering Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0946	2420A REF02	Rendering Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0947	2420B NM1	Purchased Service Provider Name	max seg count exceeded	Edit is set if there are Edit is set if there are more than 1 segment.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0948	2420B NM1	Purchased Service Provider Name	NM1 seg not found in 2420B loop	Edit is set if element is blank but loop used.
0949	2420B NM101	Purchased Service Entity Identifier Code	missing/invalid value	Edit is set if value is not QB.
0950	2420B NM102	Purchased Service Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1 or 2.
0951	2420B NM108	Purchased Service Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0952	2420B REF	Purchased Service Provider Secondary Identification	exceeds max segment count	Edit is set if there are Edit is set if there are more than 5 segments.
0953	2420B REF01	Purchase Service Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0954	2420B REF02	Purchased Service Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0955	2420C NM1	Service Facility Location	max seg count exceeded	Edit is set if there are more than 1 segment.
0956	2420C NM1	Service Facility Location	NM1 seg not found in 2420C loop	Edit is set if element is blank but loop used.
0957	2420C NM101	Service Facility Entity Identifier Code	missing/invalid value	Edit is set if value is not 77, FA, LI, or TL.
0958	2420C NM102	Service Facility Entity Type Qualifier	missing/invalid value	Edit is set if value is not 2.
0959	2420C NM108	Service Facility Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0960	2420C N2	Additional Service Facility Location Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
0962	2420C N3	Service Facility Location Address	max seg count exceeded	If 2420C loop used, Edit is set if there are more than 1 segment.
0963	2420C N3	Service Facility Location Address	N3 loop not found in 2420C loop	Req if 2420C loop used, N3 set not found.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0966	2420C N4	Service Facility Location City/State/Zip	N4 seg not found in 2420C loop	Req if 2420C loop used, N4 seg not found.
0967	2420C N401	Laboratory Or Facility City Name	required element missing	Edit is set if field is blank.
0968	2420C N402	Laboratory Or Facility State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.
0969	2420C N403	Laboratory Or Facility Postal Zone Or Zip Code	required element missing	Edit is if field is blank, less than 5 bytes or is not alpha or numeric.
0970	2420C REF	Service Facility Location Secondary Identification	exceeds max segment count	Edit is set if there are more than 5 segments.
0971	2420C REF01	Service Facility Location Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1A, 1B, 1C, 1D, 1G, 1H, G2, LU, N5, Tjor X5.
0973	2420D NM1	Supervising Provider Name	max seg count exceeded	Req if 2420D loop used, Edit is set if there are more than 1 segment.
0974	2420D NM1	Supervising Provider Name	NM1 seg not found in 2420D loop	Edit is set if element is blank but loop used.
0975	2420D NM101	Supervising Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not DQ.
0976	2420D NM102	Supervising Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1.
0977	2420D NM103	Supervising Provider Last Name	required element missing	Edit is set if Edit is set if field is blank.
0978	2420D NM104	Supervising Provider First Name	required element missing	Edit is set if Edit is set if field is blank.
0979	2420D NM108	Supervising Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
0981	2420D N201	Supervising Provider Name Additional Text	required element missing	Edit is set if Edit is set if field is blank.
0982	2420D REF	Supervising Provider Secondary Identification	exceeds max segment count	Edit is set if there are more than 5 segments.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
0983	2420D REF01	Supervising Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
0984	2420D REF02	Supervising Provider Secondary Identifier	required element missing	Edit is set if field is blank.
0985	2420E NM1	Ordering Provider Name	max seg count exceeded	Req if 2420E Loop used, Edit is set if there are more than 1 segment
0986	2420E NM1	Ordering Provider Name	NM1 seg not found in 2420E loop	Edit is set if element is blank but loop used.
0987	2420E NM101	Ordering Provider Entity Identifier Code	missing/invalid value	Edit is set if value is not DK
0988	2420E NM102	Ordering Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1
0989	2420E NM103	Ordering Provider Last Name	required element missing	Edit is set if field is blank.
0990	2420E NM104	Ordering Provider First Name	required element missing	Edit is set if field is blank.
0991	2420E NM108	Ordering Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX
0992	2420E N2	Additional Ordering Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment
0994	2420E N3	Ordering Provider Address	exceeds max seg count	Edit is set if there are more than 1 segment
0997	2420E N401	Ordering Provider City Name	required element missing	Edit is set if field is blank.
0998	2420E N402	Ordering Provider State Or Province Code	missing/invalid value	Edit is set if field is blank or state/province code is invalid.
0999	2420E N403	Ordering Provider Postal Zone Or Zip Code	required element missing	Edit is set if field is blank, less than 5 bytes or is not alpha or numeric.
1000	2420E REF	Ordering Provider Secondary Identification	exceeds max seg count	Edit is set if there are more than 5 segments

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1001	2420E REF01	Ordering Provider Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5
1002	2420E REF02	Ordering Provider Secondary Identifier	required element missing	Edit is set if field is blank.
1003	2420E PER	Ordering Provider Contact Information	exceeds max seg count	Edit is set if there are more than 1 segment
1004	2420E PER01	Ordering Provider Contact Function Code	missing/invalid value	Edit is set if value is not IC
1005	2420E PER02	Ordering Provider Contact Name	required element missing	Edit is set if field is blank.
1006	2420E PER03	Ordering Provider Communication Number Qualifier	missing/invalid value	Edit is set if value is not EM, FX, or TE
1007	2420E PER04	Ordering Provider Communication Number	required element missing	Edit is set if field is blank.
1008	2420E PER05	Ordering Provider Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not EM, EX, FX, or TE.
1009	2420E PER07	Ordering Provider Communication Number Qualifier	invalid value	Value if present, Edit is set if value is not EM, EX, FX, or TE.
1010	2420F NM1	Referring Provider Name	max seg count exceeded	Edit is set if there are more than 2 loops.
1011	2420F NM1	Referring Provider Name	NM1 seg not found in 2420F loop	Edit is set if element is blank but loop used.
1013	2420F NM102	Referring Provider Entity Type Qualifier	missing/invalid value	Edit is set if value is not 1.
1014	2420F NM103	Referring Provider Last Name	required element missing	Edit is set if field is blank.
1015	2420F NM104	Referring Provider First Name	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1016	2420F NM108	Referring Provider Identification Code Qualifier	invalid value	Value if present, Edit is set if value is not 24, 34, XX.
1018	2420F PRV01	Referring Provider Code	missing/invalid value	Edit is set if value is not RF.
1019	2420F PRV02	Referring Provider Reference Identification Code	missing/invalid value	Edit is set if value is not ZZ.
1021	2420F N2	Additional Referring Provider Name Information	exceeds max seg count	Edit is set if there are more than 1 segment.
1023	2420F REF	Referring Provider Secondary Identification	exceeds max segment count	Edit is set if there are more than 5 segments.
1024	2420F REF01	Referring Provider Secondary Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 0B, 1B, 1C, 1D, 1G, 1H, EI, G2, LU, N5, SY, or X5.
1025	2420F REF02	Referring Provider Secondary Identifier	required element missing	Edit is set if field is blank.
1026	2420G NM1	Other Payer Prior Authorization Or Referral Number	max seg count exceeded	Req if loop 2420G used, Edit is set if there are more than 4 segments.
1027	2420G NM1	Other Payer Prior Authorization Or Referral Number	NM1 seg not found in 2420G loop	Edit is set if element is blank but loop used.
1028	2420G NM101	Other Payer Prior Authorization Entity Identifier Code	missing/invalid value	Edit is set if value is not PR.
1029	2420G NM102	Other Payer Prior Authorization Entity Type Qualifier	missing/invalid value	Edit is set if value is not 2.
1030	2420G NM103	Other Payer Prior Authorization Payer Name	required element missing	Edit is set if field is blank.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1031	2420G NM108	Other Payer Prior Authorization Identification Code Qualifier	missing/invalid value	Edit is set if value is not PI, or XV.
1032	2420G NM109	Other Payer Identification Number	required element missing	Edit us set if element is missing.
1033	2420G REF	Other Payer Prior Authorization Or Referral Number	max seg count exceeded	Req if 2420G Loop used, Edit is set if there are more than 2 segments.
1034	2420G REF	Other Payer Prior Authorization Or Referral Number	REF segment missing in 2420G loop	Edit is set if element is blank but loop used.
1035	2420G REF01	Other Payer Prior Authorization Reference Identification Qualifier	missing/invalid value	Edit is set if field is blank.
1036	2420G REF02	Other Payer Prior Authorization Or Referral Number	required element missing	Edit is set if field is blank.
1037	2430 SVD	Line Adjudication Information	max seg count exceeded	Edit is set if there are more than1 SVD segment and/or more than 25 2430 loops.
1038	2430 SVD	Line Adjudication Information	SVD seg not found in 2430 loop	Edit is set if 2430 loop used and no SVD segment is found
1042	2430 SVD03-1	Product or Service ID Qualifier	missing/invalid value	Edits sets if value is not HC, IV, N1, N2, N3, N4 or ZZ
1044	2430 SVD05	Paid Service Unit Count	required element missing	Edit is set if field is blank.
1046	2430 CAS01	Claim Adjustment Group Code	missing/invalid value	Edit is set if value is not CO, CR, OA, PI, or PR.
1049	2430 DTP	Line Adjudication Date	max seg count exceeded	Edit is set if there are more than 1 segment.
1050	2430 DTP	Line Adjudication Date	required segment missing	Edit is set if required 2430 DTP segment is missing
1051	2430 DTP01	Line Adjudication Date Time Qualifier	missing/invalid value	Edit is set if value is not 573.
1052	2430 DTP02	Line Adjudication Date Time Period Format Qualifier	missing/invalid value	Edit is set if value is not D8.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
1054	2440	LQ	Form Identification Code	LQ seg not found in 2440 loop	Edit is set if element is blank but loop used.
1055	2440	LQ	Form Identification Code	max seg count exceeded	Req if 2440 loop used, Edit is set if there are more than 5 segment.
1056	2440	LQ01	Code List Qualifier Code	missing/invalid value	Edit is set if value is not AS or UT.
1060	2440	FRM02	Supporting Documentation Question Response	invalid value	Value if present, Edit is set if value is not N, W, or Y.
1062	After Loop	SE	Transaction Set Trailer	max seg count exceeded	Edit is set if there are more than 1 segment.
1063	After Loop	SE	Transaction Set Trailer	Missing SE	Edit is set if there is no SE to match ST.
1065	After Loop	SE	Trailer Set Control Number	Must Match Txn Cntl Num (St02)	Edit sets if ST02 does not match value in SE02
1066	After Loop	GE	Function Group Trailer	max seg count exceeded	Edit is set if there are more than 1 segment.
1067	After Loop	GE	Function Group Trailer	Missing GE	Edit is set if there is no GE to match GS.
1070	After Loop	IEA	Interchange Control Trailer	max seg count exceeded	Edit is set if there are more than 1 segment.
1071	After Loop	IEA	Interchange Control Trailer	required IEA segment missing	Edit is set if there is no IEA segment.
1073	After Loop	IEA02	Interchange Control Number	must = isa13	Edit is set if value is not equal to the ISA13 value or if there is no IEA segment found for the ISA. If no IEA found the contents field on the AR04 report will be blank.
1075	1000A	PER01	Contact Function Code	Missing/invalid value	Must be IC in the 1000A
1076	2300	CLM11	Related Causes Information	Value Req W/DTP01=439	If DTP - Date of Accident (DTP01=439) is used, then CLM11 is required.
1077	2300	DTP	Date - Similar Illness/Symptom Onset	Max Seg Qual List	More than 10 segments applies to the loop/segment/qualifier for qualifier 438
1078	2300	REF02	Clearinghouse Trace Number	Exceeds Max Length	More than 20 in length
1079	2320	OI04	Patient Signature Source Code	Invalid Value	Value if present, Req if OI06 not a N and Edit is set if value is not B, C, M, P, or S.
1080	2400	CRC	Service Line	More Than 3 CRC Segments for Loop	More than 3 CRC segments for 2400 loop
1081	2400	DTP	Service Line	More Than 15 DTP Segments for Loop	More than 15 DTP segments for 2400 loop.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
1082	2400	SV107	Composite Diagnosis Code Pointer	missing value when hi seg in 2300	Edit set if missing but HI found in the 2300 Loop.
1083	2310A	NM101	Referring Provider Entity Identifier Code	first loop edit is set if value is not DN	First loop Edit is set if value is not DN.
1084	2310A	NM101	Referring Provider Entity Identifier Code	second loop edit is set if value is not p3	Second loop Edit is set if value is not P3.
1087	2330D	NM101	Other Payer Referring Entity Identifier Code	missing/invalid value	Edit sets if 1st 2330D NM101 submitted value is not DN
1089	2400	LX01	Assigned Number	edit is set if value is not from +1 by +1, cannot skip	Edit is set if value is not From +1 or BY + 1.
1091	2420F	NM101	Referring Provider Entity Identifier Code	first qualifier not DN	First qualifier not DN, Edit is set if there is more than 1 DN qualifier.
1092	2420F	NM101	Referring Provider Entity Identifier Code	second qualifier not P3	Edit sets if second QUALIFIER is not P3.
1096	2440	LQ01	Code List Qualifier Code	missing/invalid value	Edit is set if field is blank.
1097	2010AA	REF01	Credit/Debit Card Reference Identification Qualifier	credit card info not allowed	Value cannot be 06, 8U, EM, II, RB, ST, or TT.
1098	2000B	SBR09	Subscriber Claim Filing Indicator Code	missing/invalid value	Edit is set if value is not 09, 10, 11, 12, 13, 14, 15, 16, AM, BL, CH, CI, DS, HM, LI, LM, MB, MC, OF, TV, VA, WC, or ZZ.
1099	2010BA	NM104	Subscriber First Name	subscriber first name required	Edit if missing but 2010BA/NM102=1.
1100	2010BD	NM1	Credit/Debit Card Holder Name	credit card info not allowed	Edit if 2010BD/NM1 loop present, invalid Medicare loop.
1102	2010BD	N2	Additional Credit/Debit Card Holder Name Information	credit card info not allowed	Edit if Loop 2010BD/N2 credit card info present.
1103	2010BD	REF	Credit/Debit Card Information	credit card info not allowed	Edit if Loop 2010BD/REF present.
1104	2330C	REF01	Other Payer Patient Reference Identification Qualifier	invalid value	Edit will set if NM108 = MI and 1W is the value submitted in REF01 of the 2330C loop.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1105	2010BA DMG	Subscriber Demographic Information	loop req for Medicare	Edit if missing and 2000B/SBR2 = 18.
1106	2010AB REF02	Pay-To Provider Identifier	required element missing	Edit is set if field is blank.
1109	2310C NM1	Purchased Service Provider Name	NM1 seg not found in 2310C loop	Edit is set if element is blank but loop used.
1111	2330B REF	Other Payer Secondary Identifier	exceeds max seg count for qual list	Edit if there are more than 3 REF elements in the 2330B loop.
1112	2420G NM109	Other Payer Identification Number	must match one 2330b/nm109	Edit if value does not match one of the values in 2330B/NM109.
1113	2420G REF01	Other Payer Prior Authorization Reference Identification Qualifier	missing/invalid value	Edit is set if value is not 9F or G1.
1114	___ ISA	Interchange Control Header	unidentified loop or segment	Edit anywhere in the file if an Unidentifiable Loop/Segment is encountered or the Loop/Segment is out of order.
1115	2400 REF	Ambulatory Patient Group (APG)	exceeds max segs for qual	Edit is set if there are more than 4 maximum applies to the loop/segment/qualifier.
1116	2000B SBR05	Subscriber Insurance Type Code	edit is set if value is not blank	Edit if value present but SBR01 = P IN Loop 2000B.
1118	___ ISA	Interchange Control Header	Missing ISA	Edit is set if there is no ISA for the IEA.
1119	2300 CLM	Claim Information	max loop repeat	Maximum number of loops exceeded (100).
1120	2400 DTP	Date - Service Date	req seg missing	Edit is set if missing a DTP segment with qualifier of 472.
1121	2330A NM1	Other Subscriber Name	Max Seg Count Exceeded	More than 1 segment
1126	1000A NM101	Entity Identifier Code	Missing/Invalid Value	Must be a value of 41
1203	2320 AMT02	Approved Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1204	2320 CAS03 CAS06 CAS09 CAS12 CAS15 CAS18	Adjustment Amount	max value 99,999.99	Max Value 99,999.99; or translator switch value = x.

Edit Number	Loop/Data Element	Name	Description	Edit Logic	
1205	2320	CAS03 CAS06 CAS09 CAS12 CAS15 CAS18	Adjustment Amount	decimal placement error (cas 03)	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error switch = Y or Z
1213	2320	AMT02	Other Pyer Patient rspblty Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1215	2320	AMT02	Other Pyer Covered Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1217	2320	AMT02	Other Pyer Discount Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1219	2320	AMT02	Other Pyer Per Day Limit Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1220	2320	AMT02	Other Pyer Patient pd Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x.
1221	2320	AMT02	Other Pyer Patient pd Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1222	2320	AMT02	Other Pyer Tax Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x.
1223	2320	AMT02	Other Pyer Tax Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1224	2320	AMT02	Other Pyer Pre-Tax Clm Total Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x.
1225	2320	AMT02	Other Pyer Pre-Tax Clm Total Amount	decimal placement error	Decimal placement error (related to preceeding ma value edit - 1 or 2 places) translator error switch = Y or Z
1228	2400	AMT02	Approved Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error switch = Y or Z
1229	2400	AMT02	Approved Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1230	2400 AMT02	Postage Clmed Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1231	2400 AMT02	Postage Clmed Amount	max value 99,999.99	Max value 99,999.99; or Translator error switch value = X
1232	2400 HCP02	Repriced Allowed Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1233	2400 HCP02	Repriced Allowed Amount	max value 99,999.99	Max value 99,999.99; or Translator error switch value = X
1234	2430 SVD02	Service Line pd Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1235	2430 SVD02	Service Line pd Amount	max value 99,999.99	Max value 99,999.99; or translator switch value = X
1244	2300 DTP03	Order Dt	must be valid date	Must be valid date with correct century, year, month and date.
1247	2300 DTP03	Referral Dt	must be valid date	Must be valid date with correct century, year, month and date.
1250	2300 DTP03	Onset of Current Illness or Injury Dt	must be valid date	Must be valid date with correct century, year, month and date.
1253	2300 DTP03	Similar Illness or Symptom Dt	must be valid date	Must be valid date with correct century, year, month and date.
1256	2300 DTP03	Accident Dt	must be valid date	Must be valid date with correct century, year, month and date.
1259	2300 DTP03	Lt Menstrual Period Dt	must be valid date	Must be valid date with correct century, year, month and date.
1262	2300 DTP03	Prescription Dt	must be valid date	Must be valid date with correct century, year, month and date.
1265	2300 DTP03	Disability From Dt	must be valid date	Must be valid date with correct century, year, month and date.
1268	2300 DTP03	Disability TO Dt	must be valid date	Must be valid date with correct century, year, month and date.
1271	2300 DTP03	Assumed or Relinquished Care Dt	must be valid date	Must be valid date with correct century, year, month and date.
1274	2330B DTP03	Adjudication or PYment Dt	must be valid date	Must be valid date with correct century, year, month and date.
1277	2400 DTP03	Order Dt	must be valid date	Must be valid date with correct century, year, month and date.
1280	2400 DTP03	Oxygen Saturation Test Dt	must be valid date	Must be valid date with correct century, year, month and date.
1283	2400 DTP03	Shipped Dt	must be valid date	Must be valid date with correct century, year, month and date.
1286	2400 DTP03	Onset Dt	must be valid date	Must be valid date with correct century, year, month and date.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1289	2400 DTP03	Similar Illness or SympTOM Dt	must be valid date	Must be valid date with correct century, year, month and date.
1292	2300 CN102	Contract Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1293	2300 CN102	Contract Amount	max value 99,999.99	max value 99,999.99; or translator error switch value = x.
1295	2300 CN103	Contract Percentage	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1296	2300 CN103	Contract Percentage	max value 99.99	Max value 99.99; or translator error switch value = X
1298	2300 CN105	Terms Discount Percentage	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1299	2300 CN105	Terms Discount Percentage	max value 99.99	Max value 99.99; or translator error switch value = X
1301	2300 HCP02	Repriced Allowed Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1302	2300 HCP02	Repriced Allowed Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = X
1304	2300 HCP03	Repriced Saving Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1305	2300 HCP03	Repriced Saving Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = X
1307	2300 HCP05	Repricing Per Diem or Flat Rate Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1308	2300 HCP05	Repricing Per Diem or Flat Rate Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = X
1309	2300 HCP07	Repriced ApPRVed AmbulaTOry Patient Gr Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1310	2300 HCP07	Repriced Apprved Ambulatory Patient Gr Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1333	2320 AMT02	Apprved Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1334	2320 AMT02	Other Pyer Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1335	2320 AMT02	Other Pyer Discount Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1336	2320 AMT02	Other Pyer Per Day Limit Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1341	2400 CN102	Contract Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = y or z
1342	2400 CN102	Contract Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1344	2400 CN103	Contract Percentage	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = y or z
1345	2400 CN103	Contract Percentage	max value 99.99	Max value 99.99 or Translator error switch value = X
1347	2400 CN105	Terms Discount Percent	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1348	2400 CN105	Terms Discount Percent	max value 99.99	Max value 99.99 or Translator error switch value = X
1350	2400 AMT02	Sales Tax Amont	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1351	2400 AMT02	Sales Tax Amount	max value 99,999.99	Max value 99,999.99; or translator error switch value = x
1356	2400 HCP03	Repriced Savings Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1357	2400 HCP03	Repriced Savings Amount	max value 99,999.99	Max value 99,999.99; or translator switch value = x
1359	2400 HCP05	Repricing Per Diem or Flat Rate Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1360	2400 HCP05	Repricing Per Diem or Flat Rate Amount	max value 99,999.99	Max value 99,999.99; or translator switch value = X
1362	2400 HCP07	Repriced Apprved Ambulatory Patient Gr Amount	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1363	2400 HCP07	Repriced ApPRVed AmbulaTOry Patient Gr Amount	max value 99,999.99	Max value 99,999.99; or translator switch value = x
1369	2430 DTP03	Adjudication or PYment Dt	must be valid date in ccyyymmdd format	Must be valid date with correct century, year, month and date.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
1371	2300	DTP03	Estimated Birth Dt	must be valid date in ccyymmdd format	Must be valid date with correct century, year, month and date.
1373	2305	HSD02	No of Visits	max value 999	Max value 999; or Translator error switch value = X
1374	2305	HSD04	frqy Count	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1375	2305	HSD04	frqy Count	max value 99.9	Max value 99.9; or translator error switch value = X
1377	2400	HSD02	No of Visits	max value 999	Max value 999; or translator error switch value = X
1378	2400	HSD04	frqy Count	decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error swith = Y or Z
1379	2400	HSD04	frqy Count	max value 99.9	Max value 99.9 or Translator error switch value = X
1381	2430	CAS04 CAS07 CAS10 CAS13 CAS16 CAS19	Adjustment Quantity	max value 9999999	Max value 9999999; or translator switch value = X
1382	2320	CAS04 CAS07 CAS10 CAS13 CAS16 CAS19	Adjustment Quantity	max value 9999999	Max value 9999999; or translator error switch value = X; or non-numeric value
1383	2320	AMT02	COB Covered Amount	max value 9999999	Max value 9999999; or translator error switch value = X; or non-numeric value
1384	Before loop	REF02	Transmission Type Code	missing/invalid value	Edit is set if value is not 004010X098DA1 or 004010X098A1.
1386	2000B	N2	Additional Submitter/ Provider Name	Invalid value	Edit will set if 4010A1 file contains N2 segments
1387	2000B	PAT07	Patient Information	Invalid value	Edit will set if qualifier is other than 01 or spaces.
1388	2300	CLM11-1	Related Causes Code	Invalid value	Edit will set if file is received without valid code AA, AP, EM or OA.
1389	2300	CLM11-2	Related Causes Code	Invalid value	Edit will set if file is received without valid code AA, AP, EM or OA.
1390	2300	CLM11-3	Related Causes Code	Invalid value	Edit will set if file is received without valid code AA, AP, EM or OA.
1391	2300	DTP	Date	Missing/Invalid value	Edit will set if qualifier other than 454, 304, 431, 453, 438, 096, 090, 091, 435, 296, 297, 361, 360, 471, 455, 484 or 439 is used.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1399	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Reference	Exceeds maximum segment count	Edit will set if more than one CRC segment with ZZ code is in the CRC01.
1400	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Condition	Missing/Invalid value	Edit will set if CRC01 equals ZZ and CRC02 is not Y or N.
1401	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Indicator	Missing/Invalid value	Edit will set if CRC01 equals ZZ and the CRC03 segment is not AV, NU S2 or ST.
1402	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Indicator	Invalid value	Edit will set when CRC01 equals ZZ and CRC04 is not space, AV, Nu, S2 or ST.
1403	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Indicator	Invalid value	Edit will set when CRC01 equals ZZ and CRC05 is not space, AV, NU, S2 or ST.
1404	2300 CRC	Early and Periodic Screening, Diagnosis and Treatment Indicator	Invalid value	Edit will set if CRC01 equals ZZ and CRC02 equals N and CRC03 does not equal NU.
1405	2300 CRC	CRC Indicator	Invalid value	Edit will set if CRC01 does not equal 07, E1, E2, E3, 75, or ZZ.
1406	2310C NM1	Purchased Providers Last Name	Required element missing	Edit will set if NM1 is present in the 2310C loop and NM103 is not present.
1407	2310C NM1	Purchased Providers First Name	Required entity equals person	Edit will set if NM1 is present in the 2310C loop and NM102 equals 1 and NM104 is not populated.
1408	2400 SV109	Emergency Indicator	Invalid value	Edit will set if SV109 does not equal a space or Y.
1417	2400 CR212	X-Ray Availability	Missing/Invalid value	Edit will set if 2400/DTP01 equals qualifier 472 and DTP03 is a date prior to 01/01/2000 and CR212 is not present
1418	2400 QTY	Anesthesia Modifying Units	Missing/Invalid value	Edit will set if 2400/QTY is present
1419	2400 MEA02	Measurement Qualifier	Missing/Invalid value	Edit will set if MEA02 does not equal GRA, HT, R1, R2, R3, R4 or ZO

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1420	2010AA N2	Additional Submitter/ Provider Name	Invalid value	Edit will set if 4010A1 file contains N2 segments
1421	2410 LIN02	Procedure/Service Qualifier	Missing/Invalid value	Edit will set if 2410/LIN02 does not equal N4
1422	2410 LIN02	Drug Procedure/Service ID	Required element missing	Edit will set if 2410/LIN02 is present and LIN03 equals spaces
1423	2410 CTP	Pricing Information	Exceed max segment	Edit will set if 2410/CTP is present more than once
1424	2410 CTP05	Unit Measurement Code	Missing/Invalid value	Edit will set if the value of CTP05 is not equal to F2, GR, ML or UN.
1425	2410 REF	Drug Reference ID	Exceeds max segment	Edit will set if 2410/REF segment is present more than once
1426	2410 REF01	Reference ID Qualifier	Missing/Invalid value	Edit will set if 2410/REF01 does not equal XZ
1427	Before loop GS08	Verify ID code	Missing/Invalid value	Edit will set if value does not equal 004010x098A1
1428	Before loop REF02	Version ID Code	Version ID code invalid	Edit will set if version 004010X098 or 004010X098D is used and receipt date is after the end date on SPITAB HxxTX12V
1429	Before loop REF02	Version ID Code	Version ID code invalid	Edit will set if version 004010x098A1 or 004010x098DA1 is used and receipt date is before the effective date on SPITAB HxxTX12V
1430	2400 SV4	Prescription Number	SV4 invalid	Edit will set if 2400/SV4 is present
1432	2410 CTP03	Set Unit Price	Max value	Edit will set if the max value for CTP03 is greater than 9,999,999.99
1433	2410 CTP03	Unit Price	Decimal error	Edit will set if CTP03 does not contain a valid decimal
1434	2410 CTP04	Set Quantity	Max value	Edit is set if value exceeds Max Value; translator error switch value = X
1435	2300 CR212	Condition Code	Valid value	Edit will set if 2400/DTP01 qualifier is 472 and the DTP03 is a date prior to 01/01/2000 and CR212 is not present.
1436	2400 SV101-1	Service ID Qualifier	Valid value	Edit will set if 2400/SV101-1 does not equal HC, IV or ZZ.
1437	2400 SV501-1	Product ID Qualifier	Invalid value	Edit will set if 2400/SV501-1 does not contain HC in position 19.
1438	2400 SV501-2	Service ID Qualifier	Invalid value	Edit will set if 2400/SV501-2 does not equal the same value as SV101-2 in position 21.
1439	2400 SV502	Unit ID Qualifier	Invalid value	Edit will set if 2400/SV502 does not equal DA in position 32.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
1440	2400	SV506	Frequency Code	Invalid Value	Edit will set if 2400/SV506 does not equal 1, 4, 6 or space in position 85.
1441	2400	SV504	Monetary Amount	Max value	Edit will set if the max value for 2400/SV504 does not equal 9,999,999.99
1442	2400	SV504	Monetary Amount	Invalid decimal	Edit will set if 2400/SV504 does not have a valid decimal
1443	2400	SV505	Monetary Amount	Max value	Edit will if the max value for 2400/SV505 does not equal 9,999,999.99
1444	2400	SV505	Monetary Amount	Invalid decimal	Edit will set if 2400/SV505 does not have a valid decimal
1445	2430	SVD03-1	Product Qualifier	Invalid value	Edit will set if 2430/SVD03-1 does not equal HC, IV or ZZ.
1447	2400	SV5	DME Services	Invalid segment	Edit will set if 2400/SV5 is present on a 4010 file.
1448	2410	All	Quantity	Max value	Edit will set if the 2410 loop is repeated more than 25 times.
1449	2410	All	Drug ID	Invalid value	Edit will set if the 2410 loop is on the 4010 file.
1450	2400	SV503	DME Quantity	Missing value	Edit will set when SV5 is present, but SV503 is not.
1452	2410	CTP04	Unit Price	Decimal error	Edit is set if decimal place exceeded (related to preceding max value edit 1434) translator error switch = Y or Z.
1453	2400	DTP01	Date Time Qualifier	missing/invalid value	Edit is set if value is not 472, 607, 463, 461, 304, 738, 739, 119, 480, 481, 011, 431, 455, 453, 454, 438.
1454	2000A	PRV03	Taxonomy Code	Value must be on table	PRV03 is present and not on SPITAB HxxTTXM1
1455	2310A	PRV03	Taxonomy Code	Value must be on table	PRV03 is present and not on SPITAB HxxTTXM1
1456	2310B	PRV03	Taxonomy Code	Value must be on table	PRV03 is present and not on SPITAB HxxTTXM1
1457	2420A	PRV03	Taxonomy Code	Value must be on table	PRV03 is present and not on SPITAB HxxTTXM1
1458	2420F	PRV03	Taxonomy Code	Value must be on table	PRV03 is present and not on SPITAB HxxTTXM1
1459	1000A and 1000B	N2	Additional Submitter/ Provider Name	Invalid value	Edit will set if 4010A1 file contains N2 segments
1462	2000A		Billing/Pay-To Provider Hierarchical Level	Loop Missing	Edit will set if the 2000A loop is missing
1463	2400		Service Line	Loop Missing	Edit will set if the 2400 loop is missing

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1464	2400 SV504/ SV505	Monetary Amount	missing/invalid value	Value must be present in either the SV504 or SV505 but not both
1465	2310D	Service Facility Location	Invalid loop	Set edit if the 2310D loop is submitted and the value in CLM05-1 is equal to 12.
1466	2310D NM103	Service Facility Location	Missing data element	Set edit if 2310D NM1 segment is present and NM103 is blank
1467	2420C NM103	Service Facility Location	Missing data element	Set edit if 2420C NM1 segment is present and NM103 is blank and SV105 or CLM05-1 is not equal to 12
1468	2300 CLM05-3	Claim Frequency Code	Invalid Value	Set edit if CLM05-3 is not equal to 0-9 or A-Z
1469	2300 CR101	Unit or Basis for Measurement	Missing data element	Set edit if 2300/CR102 is present and CR101 is blank
1470	2300 CR102	Patient Weight	Missing data element	Set edit if 2300/CR101 is present and CR102 is blank
1471	2400 CR101	Unit or Basis for Measurement	Missing data element	Set edit if 2400/CR102 is present and CR101 is blank
1472	2400 CR102	Patient Weight	Missing data element	Set edit if 2400/CR101 is present and CR102 is blank
1473	2300 DTP	Admission Date	Missing segment	Set edit if 2300/CLM05-1 = 21, 51 or 61 and 2300/DTP (435) segment is not submitted, or Set edit when 2300/CLM05-1 = 41 or 42, 2300/CRC02 = Y, 2300/CRC03, CRC04, CRC05, CRC06 or CRC07 = 01, and 2300/DTP (435) segment is not submitted.
1474	2300 DTP03	Admission Date	Invalid date format	Set edit if 2300/DTP (435) is submitted and DTP03 is not CCYYMMDD.
1475	2300 CR1	Ambulance Transport Information	Missing segment	Set edit if 2300/CLM05-1 is equal to 41 or 42 and 2300/CR1 is not submitted.
1476	2300 CR109	Round trip Purpose	CR109 data element invalid	Set edit if CR103 is not equal to X.
1477	2400 CR109	Round trip Purpose	CR109 data element invalid	Set edit if CR103 is not equal to X.
1478	2000A PRV	Provider Specialty	Segment invalid	Set edit when both the 2000A PRV segment and the 2310B loop is submitted on a claim
1479	2000A/ 2310B	Provider Specialty	Segment missing	Set edit if both the 2000A and 2310B PRV are missing from the claim file.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
1480	2330A N403	Other Insured Zip code	N403 data invalid	Set edit when N403 is greater than spaces, and is less than 5 bytes or is not alpha or numeric.
1481	2400 PS1	Purchased Service Information	Missing Loops	Set edit if PS1 segment is present but either loop 2310C or 2420B is not present
1482	2300 DTP03	Date Time Qualifer	Invalid Time Format	Set edit if DTP01 equals 439, DTP02 equals DT and DTP03 HHMM is an invalid format. HH must be greater than spaces and from 00-23 and MM must be greater than spaces and from 00-59
1483	2330A N402	Other Subscriber State Or Province Code	Invalid Value	Edit is set if field is greater than spaces and contains an invalid value.
1484	2310A NM108	Referring provider identification code	Required element missing	Set edit NM108 equals 24 or 34 and NM109 value is not 9 bytes numeric only
1485	2310C NM108	Purchased service identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the MN109 value is not 9 bytes numeric only
1486	2310D NM108	Service facility identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1487	2310E NM108	Supervising provider identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1488	2420B NM108	Purchased service identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1489	2420C NM108	Service facility identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1490	2420D NM108	Supervising provider identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1491	2420E NM108	Ordering provider identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only
1492	2420F NM108	Referring provider identification code	Required element missing	Set edit if NM108 equals 24 or 34 and the NM109 value is not 9 bytes numeric only

Edit Number	Loop/Data Element		Name	Description	Edit Logic
1493	2300	CLM12	Special Program Indicator	Invalid Value	Set edit if loop 2300 CRC01 is not ZZ or not present and the 2300/CLM12 contains a 01.
1494	2300	CLM12	Special Program Indicator	Invalid Value	Set edit if loop 2300 CRC01 is ZZ and the 2300/CLM12 does not contain a 01.
M001		ISA13	Interchange Control Number	Duplicate File	<p>If the following field matches a previous file: ISA13; BHT03; BHT04; 1000A/NM109; GE01 (from first GE in file (ISA)); SE01 from first SE infile (ISA);</p> <p>Note: The EMC 'Duplicate Files' purges all records older than the cycle date plus a number of days specified in a PARM. The cycle date comes from the Plan Record.</p> <p>The PARM is PRM1080 in the DI51 JOB JCL.</p> <pre>// PRM1050=EMC4, // PRM1080='007', // N1='&N1.', // NL1='&NL1.', // V1='&V1.', // SYSIN='&SYSIN.'</pre>
M002	Before Loop	DTP01	Date Time Qualifier	missing/invalid value	Edit if backdate used and Value in column +RC.
M003	Before Loop	DTP02	Date Time Period Format Qualifier	missing/invalid value	Edit if backdate used and Value in column D8.
M005	Before Loop	BHT06	Hierarchical Claim	edit is set if value is not claim (CH)	Edit is set if value is not CH, edit is turned on and a value of RP is submitted in this field
M006	Before Loop	BHT06	Hierarchical Claim	edit is set if value is not reporting (RP)	Edit is set if value is not RP for encounter reporting, the edit is turned on and a value of CH is submitted in this field.
M007	1000A	NM109	Submitter Identifier	submitter not on file	Edit if 1000A/NM109 not on carrier PCF.
M008	2000A	HL01	Hierarchical Id Number	HL edit is set if value is not in order +1	Edit is set if value is not in numeric order starting with one.
M009	2000A	CUR02	Currency Code	edit is set if segment is submitted.	Edit is set if the CUR02 segment is submitted.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M010	2010AA REF01	Billing Provider Reference Identification Qualifier	Medicare Prov qual (1C) missing	Edit is set if segment with 1C qualifier is missing on the 2010AA REF01 or the 2010AB REF01. NOTE: This edit cannot be set as informational or off. The edit may be set as a delete for B, C or F.
M011	2010AA REF01	Billing Provider Reference Identification Qualifier	med multi qual 1C	Edit is set if multiple 1C qualifiers are on the 2010AA REF segment.
M012	2010AA REF02	Billing Provider Additional Identifier	Billing prov not on file	Edit is set if BPRV not on PCF. NOTE: Edit performs when 2010AA REF01 = 1C qualifier.
M013	2010AA REF02	Billing Provider Additional Identifier	submitter/billing prov not on file	Edit is set if the submitter/BPROV is not on PCF. NOTE: Perform this edit for the submitter/billing provider combination of 1000A/NM109 and the BPROV 2010AA/REF02 with 2010AA/REF01 = 1C.
M016	2010AB REF01	Pay-To Provider Reference Identification Qualifier	med multi qual 1c	Edit is set if multiple 1C qualifiers are on the 2010AB REF segment.
M017	2010AB REF02	Pay-To Provider Identifier	prov not on file	Edit is set if PRV not on PCF. NOTE: Perform edit if 2010AA REF01 is not 1C and 2010AB REF01 = 1C.
M019	2000B SBR02	Subscriber Individual Relationship Code	edit is set if value is not self (18)	Edit is set if value is not 18.
M020	2000B SBR05	Subscriber Insurance Type Code	value required if Medicare second	Edit is set if value does not match 12, 13, 14, 15, 16, 41, 42, 43, or 47(if SBR01 not P).
M021	2000B SBR09	Subscriber Claim Filing Indicator Code	edit is set if value is not Medicare part b (MB)	Edit is set if value is not MB.
M022	2010BA NM102	Subscriber Entity Type Qualifier	Invalid Medicare value	Edit is set if value is not 1.
M023	2010BA NM104	Subscriber First Name	subscriber first name required	Edit is set if field is blank.
M024	2010BA NM108	Subscriber Identification Code Qualifier	HIC number qualifier missing	Value if present, Edit is set if value is not MI.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M026	2010BA REF01	Subscriber Reference Identification Qualifier	invalid Medicare value	Edit is set if value is not 23 or IG.
M031	2300 CLM02	Total Claim Charge Amount	must equal sum line charges	Edit is set if value is a negative value. Or if the sum does not equal 2400/SV102.
M032	2300 CLM02	Total Claim Charge Amount	max value 99,999.99	Edit sets if value is more than 99,999.99.
M033	2300 CLM05-3	Claim Frequency Code	Medicare conditions	Edit sets if value is not equal to 1.
M034	2300 DTP03	Initial Treatment Date	cannot be a future date	Edit is set if future date is used.
M035	2300 DTP03	Initial Treatment Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M036	2300 DTP03	Initial Treatment Date	edit is set if value is not valid date	Edit is set if value is not a valid date.
M037	2300 DTP03	Last Seen Date	cannot be a future date	Edit is set if future date is used.
M038	2300 DTP03	Last Seen Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M039	2300 DTP03	Last Seen Date	edit is set if value is not valid date	Edit is set if value is not a valid date.
M040	2300 DTP03	Acute Manifestation Date	cannot be a future date	Edit is set if future date is used.
M041	2300 DTP03	Acute Manifestation Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M042	2300 DTP03	Acute Manifestation Date	edit is set if value is not valid date	Edit is set if value is not a valid date.
M043	2300 DTP03	Last X-Ray Date	cannot be a future date	Edit is set if future date is used.
M044	2300 DTP03	Last X-Ray Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M045	2300 DTP03	Last X-Ray Date	edit is set if value is not valid date	Edit if date is not a valid date.
M046	2300 DTP03	Related Hospitalization Admission Date	cannot be future date	Edit is set if future date is used.
M047	2300 DTP03	Related Hospitalization Admission Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M048	2300 DTP03	Related Hospitalization Admission Date	edit is set if value is not valid date	Edit if date is not a valid date.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M049	2300	DTP03	Related Hospitalization Discharge Date	cannot be future date	Edit is set if future date is used.
M050	2300	DTP03	Related Hospitalization Discharge Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19XX or 20XX.
M051	2300	DTP03	Related Hospitalization Discharge Date	edit is set if value is not valid date	Edit if date is not a valid date.
M052	2300	AMT01	Credit/Debit Amount Qualifier Code	invalid Medicare value	The information carried under this segment must never be sent to the payer. This segment is not valid for Medicare.
M054	2300	AMT02	Patient Amount Paid	cannot be negative	Edit sets if number is a negative amount.
M055	2300	AMT02	Patient Amount Paid	max value 99,999.99	Edit sets if value is more than 99,999.99.
M057	2300	REF02	Demonstration Project Identifier	invalid demo num	Value if present Edit is set if value is not a valid value in the HXXTDEMO table.
M059	2300	REF02	Payer Assigned Control Number	req element missing	Edit is set if field is blank.
M062	2320	SBR	Other Subscriber Information	subsc seg not found in 2320 loop	Edit if element not present but loop is used.
M063	2320	SBR05	Insurance Type Code	missing/invalid value	Edit is set if submitted value is MB.
M065	2320	AMT02	Payer Paid Amount	D qualifier max value 99,999.99 or translator error switch value = X	Edit if D QUALIFIER has a value of more than 99,999.99 or if TRANSLATOR ERROR SWITCH VALUE = X.
M066	2320	AMT02	COB Allowed Amount	max value 99,999.99	Edit if value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M067	2400	SV101-1	Product Or Service Id Qualifier	procedure qual edit is set if value is not HC	Edit is set if value is valid but not HC.
M068	2400	SV102	Line Item Charge Amount	cannot be negative	Edit sets if number is a negative value.
M069	2400	SV102	Line Item Charge Amount	max value 99,999.99	Edit is set if value is more than 99,999.99, translator error switch value = X.
M071	2400	SV104	Service Unit Count	max value ,999.9 ; or 9999999.999	Edit is set if value exceeds Max Value; translator error switch value = X
M072	2400	CR3	Durable Medical Equipment Certification	not valid for Medicare	Edit is set if value present.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M073	2400 CR5	Home Oxygen Therapy Information	not valid for Medicare	Edit is set if value present
M074	2400 CRC01	Code Category	invalid Medicare value	Edit is set if value is 09 or 11.
M075	2400 DTP03	Service Date	value is not 19/20xx	Edit is set if from date is not 19xx or 20XX.
M076	2400 DTP03	Service Date	value is not valid date	Edit from date for valid date, month and day.
M077	2400 DTP03	Service Date	cannot be future date	Edit is set if from date is a future date.
M078	2400 DTP03	Service Date	value is not 19/20xx	Edit is set if to date value is not 19xx or 20XX (with RD8 qualifier).
M079	2400 DTP03	Service Date	value is not valid date	Edit is set if to date value is not VALID DATE (with RD8 qualifier)
M080	2400 DTP03	Service Date	cannot be future date	Edit is set if to date is a future date (with RD8 qualifier).
M081	2400 DTP03	Referral Date	cannot be a future date	Edit is set if future date is used.
M082	2400 DTP03	Referral Date	value is not 19xx or 20xx	Edit is set if value is not 19xx or 20XX
M083	2400 DTP03	Begin Therapy Date	cannot be future date	Edit is set if future date is used.
M084	2400 DTP03	Begin Therapy Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19xx or 20XX
M085	2400 DTP03	Last Seen Date	cannot be a future date	Edit is set if future date is used.
M086	2400 DTP03	Last Seen Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19xx or 20XX
M087	2400 DTP03	Test Performed Date	cannot be a future date	Edit is set if future date is used.
M088	2400 DTP03	Test Performed Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19/20XX.
M089	2400 DTP03	Test Performed Date	edit is set if value is not valid date	Edit is set if value is not a valid date with century, year, month and date.
M090	2400 DTP03	Last X-Ray Date	cannot be a future date	Edit is set if future date is used.
M091	2400 DTP03	Last X-Ray Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19/20XX.
M092	2400 DTP03	Last X-Ray Date	edit is set if value is not valid date	Edit is set if value is not a valid date with century, year, month and date.
M093	2400 DTP03	Acute Manifestation Date	cannot be a future date	Edit is set if future date is used.
M094	2400 DTP03	Acute Manifestation Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19/20XX.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M095	2400	DTP03	Acute Manifestation Date	edit is set if value is not valid date	Edit is set if value is not a valid date with century, year, month and date.
M096	2400	DTP03	Initial Treatment Date	cannot be a future date	Edit is set if future date is used.
M097	2400	DTP03	Initial Treatment Date	edit is set if value is not 19xx or 20xx	Edit is set if value is not 19/20XX.
M098	2400	DTP03	Initial Treatment Date	edit is set if value is not valid date	Edit is set if value is not a valid date with century, year, month and date.
M099	2400	PS102	Purchased Service Charge Amount	cannot be negative	Edit sets if number is a negative value.
M100	2400	PS102	Purchased Service Charge Amount	max value 99,999.99	Edit is set if value is more than 99,999.99; or TRANSLATOR ERROR SWITCH VALUE = X.
M101	2420C	REF01	Service Facility Location Reference Identification Qualifier	Medicare prov qual (1c) missing	Edit is set if 1C qualifier missing.
M102	2420C	REF02	Service Facility Location Secondary Identifier	Med multi qual 1c	Edit is set if Multiple 1C qualifiers.
M103	2420D	REF01	Supervising Provider Reference Identification Qualifier	only one 1g qualifier	Edit is set if multiple 1G qualifiers.
M105	2420F	REF01	Referring Provider Secondary Reference Identification Qualifier	only one 1g qualifier	Edit is set if multiple 1G qualifiers.
M106	2000B	HL01	Subscriber Hierarchical Id Number	HL edit is set if value is not in order +1	Edit is set if submitted data is not numeric beginning with 1, incremented by 1.
M107	2000C	HL01	Patient Hierarchical Id Number	Med hl edit is set if value is not in order +1	Edit is set if submitted data is not numeric beginning with 1, incremented by 1.
M108	2300	REF	Payer Assigned Control Number	exceeds max segment/qualifier count	Edit is set if there are more than 1 maximum applies to the qualifier +CN
M111	Before Loop	DTP	Date – Receipt Date	max seg exceeded	Edit is set if more than 1 DTP element.
M112	2400	DTP	Date – Certification Revision Date	not valid for Medicare	Edit is set if segment is present.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M113	2400	PWK	DMERC CMN Indicator	not valid for Medicare	Edit is set if segment is present.
M121	2300	CLM02	Total Claim Charge Amount	cannot be negative	Edit sets if number is a negative value.
M122	2300	AMT02	Total Purchased Service Amount	max value 99,999.99	Edit is set if value is more than 99,999.99;or TRANSLATOR ERROR SWITCH VALUE = X.
M123	2300	AMT02	Total Purchased Service Amount	cannot be negative	Edit sets if number is a negative value.
M124	2320	AMT02	Payer Paid Amount	D qualifier cannot be negative	Edit sets if number is a negative value.
M125	2320	SBR01	Payer Responsibility Sequence Number Code	if 2320/sbr01 = p then 2320/amt01, d qualifier is required	Edit is set if 2320/SBR01 = P but 2320/AMT01, D qualifier is missing.
M126	2320	SBR01	Payer Responsibility Sequence Number Code	if 2000b/sbr01 = t; if 2320/sbr01=por s then 2320/amt01, d qualifier is required	If 2000B/SBR01 = T; if 2320/SBR01=Por S then 2320/AMT01, D qualifier is required.
M129	2320	AMT02	COB Allowed Amount	cannot be negative	Edit sets if number is a negative value.
M130	2400	MEA02	Test Result Measurement Qualifier	Medicare conditions	Edit sets if value is CON, GRA or ZO.
M131	2000B	SBR01	Payer Responsibility Sequence Number Code	if 2000b/sbr01 = s then must have 2320/sbr01 = p	Edit is set if 2000B/SBR01 = S but 2320/SBR01 does not equal P.
M132	2000B	SBR01	Payer Responsibility Sequence Number Code	if 2000b/sbr01 = t then must have 2320/sbr01 = p and 2320/sbr01 = s	Edit is set if 2000B/SBR01 = T but 2320/SBR01 is not P and S.
M135	2300	HI01-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M136	2300	HI02-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M137	2300	HI03-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M138	2300	HI04-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M139	2300	HI05-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M140	2300	HI06-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M141	2300	HI07-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M142	2300	HI08-2	Diagnosis Code	invalid diag format	Edit is set if max size is greater than 5; or if decimals; or if A/N with spaces, or is not found on the master diagnosis file.
M143	2320	SBR01	Payer Responsibility Sequence Number Code	only one primary allowed	More than one 2320B segment with a submitted value of P
M144	2320	SBR01	Payer Responsibility Sequence Number Code	only one secondary allowed	More than one 2320B segment with a submitted value of S
M145	2320	SBR01	Payer Responsibility Sequence Number Code	if 2000b/sbr01=t, then 2320/sbr01 must = p	Edit is set if 2000B/SBR01 =T and 1 of the 2320/SBR01 segments does not equal P.
M146	2320	SBR01	Payer Responsibility Sequence Number Code	if 2000b/sbr01=t, then 2320/sbr01 must = s	Edit is set if 2000B/SBR01 = T and 1 of the 2320/SBR01 does not equal S.
M147	2400	SV101-2	Procedure Code	invalid proc format	Edit is set if value is not exactly 5 char A/N.
M148	2400	DTP03	Service Date	invalid range date	Edit to date – from date with RD8 qualifier.
M149	2400	DTP03	Referral Date	valid date	Edit is set if value is not valid date with correct century, year, month and date.
M150	2400	DTP03	Last Seen Date	edit is set if value is not valid date	Edit is set if value is not a valid date with century, year, month and date.
M151	—	ISA	Interchange Control Header	must have at least one valid claim	Edit is set if there is not at least one valid claim.
M152	2000A	HL	Billing/Pay-To Provider Hierarchical Level	must have at least one valid claim	Edit is set if there is not at least one valid claim.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M153	2400	DTP04	Begin Therapy Date	valid date	Edit is set if value is not valid date with correct century, year, month and date.
M154	2320	SBR05	Insurance Type Code	invalid primary ins	Edit is set if 2320/SBR01 = P, and value is CP, MB, MC, MI or MP.
M155	2400	SV102	Line Item Charge Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M157	2430	CAS03	Adjustment Amount	max value 99,999.99	Edit is set if value is greater than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M158	2430	CAS03	Adjustment Amount	decimal placement error	Edit sets if decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M159	2430	CAS06	Adjustment Amount	max value 99,999.99	Edit is set if the value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M160	2430	CAS06	Adjustment Amount	decimal placement error	Edit is set if Decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M161	2430	CAS09	Adjustment Amount	max value 99,999.99	Edit is set if value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M162	2430	CAS09	Adjustment Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M163	2430	CAS12	Adjustment Amount	max value 99,999.99	Edit is set if value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M164	2430	CAS12	Adjustment Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M165	2430	CAS15	Adjustment Amount	max value 99,999.99	Edit is set if value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.
M166	2430	CAS15	Adjustment Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit - 1 or 2 places) translator error switch = Y or Z.
M167	2430	CAS18	Adjustment Amount	max value 99,999.99	Edit is set if value is more than 99,999.99; or TRANSLATOR SWITCH VALUE = X.

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M168	2430	CAS18	Adjustment Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M169	2300	CLM02	Total Claim Charge Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M170	2300	AMT02	Patient Amount Paid	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M171	2300	AMT02	Total Purchased Service Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M172	2320	AMT02	Payer Paid Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M173	2320	AMT02	COB Allowed Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M174	2400	SV104	Service Unit Count	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit M071) translator error switch = Y or Z.
M176	2400	PS102	Purchased Service Charge Amount	decimal placement error	Edit is set if decimal place exceeded (related to preceding max value edit – 1 or 2 places) translator error switch = Y or Z.
M187	2000C	HL01	Hierarchical ID Number	Not Valid for Medicare	Invalid loop for Medicare
M188	2010CA	NM1	Patient Name	Not Valid for Medicare	Invalid loop for Medicare
M189		ST	Transaction Set	HL Seg Not Numeric	HL segment not numeric, ST reject
M190		ST	Transaction Set	HL Seg Out of Sequence	HL segment out of sequence, ST reject
M191	2000A	HL01	Hierarchical ID Number	HL Seg Not Numeric	Must be a numeric value

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M192	2000B HL01	Hierarchical ID Number	HL Seg Not Numeric	Must be a numeric value
M193	2000C HL01	Hierarchical ID Number	HL Seg Not Numeric	Must be a numeric value
M194	2320 AMT02	Claim Primary Payer Paid Amount	Sum of detail Primary Payer Paid amount does not equal claim Primary Payer Paid amount	The sum of 2430/SVD02 does not equal sum of 2320/AMT=D, when any 2430/SVD segments are reported on claim. Edit will only set if 2320 AMT is reported and the amount for 2430/SVD02 is greater than zero.
M195	2320 AMT02	Claim Primary Payer Allowed Amount	Sum of detail Primary Payer Allowed amount does not equal claim Primary Payer Allowed amount	The sum of 2400/AMT=AAE does not equal sum of 2320/AMT=B6. Bypass edit if 2000B/SBR01=T. Edit will only set if 2320/AMT02 is reported and the amount for 2400/AMT=AAE is greater than zero.
M196	2300 CN102	Claim OTAF Amount	Sum of detail OTAF amount does not equal claim OTAF amount	2300/CN1=09 does not equal the sum of 2400/CN1=09. This edit only applies when Claim Level CN1 is greater than zero and 2300/CN102 is reported.
M197	2300 CN102	Claim OTAF Amount	Negative OTAF Amount	2300/CN1=09 is a negative amount.
M198	2400 AMT02	Detail Primary Payer Allowed Amount	Negative 2400/AMT02 Amount	2400/AMT02=AAE is a negative amount.
M199	2400 CN102	Detail OTAF Amount	Negative 2400/CN102, CN101=09 Amount	2400/CN102=09 is a negative amount
M200	2430 SVD02	Detail Primary Payer Paid Amount	Negative 2430/SVD02 Amount	2430/SVD02 is a negative amount.
M201	2000B PAT08	Patient Weight	Max Value 999,999.99	Max Value 999,999.99; Or Translator Switch Value = X
M202	2000B PAT08	Patient Weight	Decimal placement error	Decimal place exceeded (related to preceeding max value edit - 1 or 2 places) translator error with = Y or Z
M203	2300 CN102	Contract Amount	Cannot be negative	Cannot be a negative value if type is 02, 03, 04, 05 or 06.
M204	2300 HCP02	Repriced Allowed Amount	Cannot be negative	Cannot be a negative value

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M205	2300 HCP03	Repriced Saving Amount	Cannot be negative	Cannot be a negative value
M206	2300 HCP05	Repricing Per Diem or Flat Rate Amount	Cannot be negative	Cannot be a negative value
M207	2300 HCP07	Repriced Approved Ambulatory Patient Group Amount	Cannot be negative	Cannot be a negative value
M208	2320 CAS03	Adjustment Amount	Cannot be negative	Cannot be a negative value
M209	2320 CAS06	Adjustment Amount	Cannot be negative	Cannot be a negative value
M210	2320 CAS09	Adjustment Amount	Cannot be negative	Cannot be a negative value
M211	2320 CAS12	Adjustment Amount	Cannot be negative	Cannot be a negative value
M212	2320 CAS15	Adjustment Amount	Cannot be negative	Cannot be a negative value
M213	2320 CAS18	Adjustment Amount	Cannot be negative	Cannot be a negative value
M214	2320 AMT02	Approved Amount	Cannot be negative	Cannot be a negative value for qualifiers AAE,F2,AU, D8,DY,F5,T,T2
M222	2320 MOA01	Reimbursement Rate	Max Value 999.99	Max Value 999.99; or Translator Switch Value = X
M223	2320 MOA01	Reimbursement Rate	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M224	2320 MOA02	HCPCS Payable Amount	Max Value 99,999.99	Max Value 99,999.99; or Translator Switch Value = X
M225	2320 MOA02	HCPCS Payable Amount	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M226	2320 MOA02	HCPCS Payable Amount	Cannot be negative	Cannot be a negative value
M227	2320 MOA08	End Stage Renal Disease Payment Amount	Max Value 99,999.99	Max Value 99,999.99; or Translator Switch Value = X

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M228	2320 MOA08	End Stage Renal Disease Payment Amount	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M229	2320 MOA08	End Stage Renal Disease Payment Amount	Cannot be negative	Cannot be a negative value
M230	2320 MOA09	Non-Payable Professional Component Billed Amount	Max Value 99,999.99	Max Value 99,999.99; or Translator Switch Value = X
M231	2320 MOA09	Non-Payable Professional Component Billed Amount	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M232	2320 MOA09	Non-Payable Professional Component Billed Amount	Cannot be negative	Cannot be a negative value
M233	2400 CN102	Contract Amount	Cannot be negative	Cannot be a negative value if type is 02, 03, 04, 05 or 06.
M234	2300 CR102	Patient Weight	Max value 999	Max value 999 or Translator Switch Value = X
M235	2300 CR106	Transport Distance	Max value 9999	Max value 9999 or Translator Switch Value = X
M236	2400 AMT02	Sales Tax Amount	Cannot be negative	Cannot be a negative value
M238	2400 HCP02	Repriced Allowed Amount	Cannot be negative	Cannot be a negative value, qualifiers T and F4.
M239	2400 HCP03	Repriced Saving Amount	Cannot be negative	Cannot be a negative value
M240	2400 HCP05	Repricing Per Diem or Flat Rate Amount	Cannot be negative	Cannot be a negative value
M241	2400 HCP07	Repriced Approved Ambulatory Patient Group Amount	Cannot be negative	Cannot be a negative value
M242	2400 MEA03	Test Result	Max Value 999 or 99.9	Edit is set if value exceeds Max Value; translator error switch value = X
M243	2430 CAS03	Adjustment Amount	Cannot be negative	Cannot be a negative value

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M244	2430	CAS06	Adjustment Amount	Cannot be negative	Cannot be a negative value
M245	2430	CAS09	Adjustment Amount	Cannot be negative	Cannot be a negative value
M246	2430	CAS12	Adjustment Amount	Cannot be negative	Cannot be a negative value
M247	2430	CAS15	Adjustment Amount	Cannot be negative	Cannot be a negative value
M248	2430	CAS18	Adjustment Amount	Cannot be negative	Cannot be a negative value
M249	2430	SVD05	Paid Service Unit Count	Max Value 99,999.99	Max Value 99,999.99; or Translator Switch Value = X
M250	2430	SVD05	Paid Service Unit Count	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M251	2440	FRM05	Question Response	Max Value 999.9	Max Value 999.9; or Translator Switch Value = X
M252	2440	FRM05	Question Response	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M253	2300	CR206	Treatment Period Count	Max value 999	Max value 999 or Translator Switch Value = X
M254	2300	CR207	Monthly Treatment Count	Max value 99	Max value 99 or Translator Switch Value = X
M255	2300	CR202	Treatment Count	Max value 999	Max value 999 or Translator Switch Value = X
M256	2400	CR102	Patient Weight	Max value 999	Max value 999 or Translator Switch Value = X
M257	2400	CR106	Transport Distance	Max value 9999	Max value 9999 or Translator Switch Value = X
M258	2320	AMT02	Other Payer Patient Paid Amount	Max Value 99,999.99	Max Value 99,999.99; or Translator Switch Value = X for qualifier F2
M259	2400	CR202	Treatment Count	Max value 999	Max value 999 or Translator Switch Value = X
M260	2400	CR206	Treatment Period Count	Max value 999	Max value 999 or Translator Switch Value = X

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M261	2400 CR207	Monthly Treatment Count	Max value 99	Max value 99 or Translator Switch Value = X
M262	2400 HCP12	Repriced Approved Service Unit Count DA	Max Value 999	Max value 999 or Translator Switch Value = X
M263	2400 HCP12	Repriced Approved Service Unit Count UN	Max value 999.9	Max value 999.9 or Translator Switch Value = X
M264	2400 HCP12	Repriced Approved Service Unit Count UN	Decimal placement error	Decimal place exceeded (related to preceeding max value edit – 1 or 2 places) translator error with = Y or Z
M265	2400 QTY02	Anesthesia Modifying Units	Max value 99	Max Value 99 or Translator Switch Value = X
M267	2410 CTP03	Unit Price	Greater than zero	Value must be greater than zero.
M268	2400 SV504	Monetary Amount	Zero or greater than zero	Value must be zero or greater than zero if present
M269	2400 SV505	Monetary Amount	Zero or greater than zero	Value must be zero or greater than zero if present
M270	2400 SV503	DME Quantity	Max value	Edit will set if the max value for SV503 is greater than 999.
M271	2400 MEA03	Test Result	Decimal placement	Edit is set if decimal place exceeded (related to max value edit M242) translator error switch = Y or Z.
M272	2410 CTP05	Drug Count	Not Valid for Medicare	Edit is set if value is F2, GR or ML
M273	2010AA NM108	Billing Provider Loop	Provider EIN/SSN/NPI	Edit is set if qualifier equals XX
M274	2010AB NM108	Billing Provider Loop	Provider EIN/SSN/NPI	Edit is set if qualifier equals XX
M275	2310A NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M276	2310B NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M277	2310C NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M278	2310D NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX

Edit Number	Loop/Data Element		Name	Description	Edit Logic
M279	2310E	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M280	2420A	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M281	2420B	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M282	2420C	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M283	2420D	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M284	2420E	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M285	2420F	NM108	Claim/Detail level	Provider Loop	Edit is set is qualifier equals XX
M286	2400	SV101 – 3-6	Procedure Modifier	Invalid length	Set edit if any of the 2400 SV101- 3-6 modifiers are present on the file and not equal to A-Z or 0-9, spaces are not valid.
M287	2430	SVD03 – 3-6	Procedure Modifier	Invalid length	Set edit if any of the 2430 SVD03- 3-6 modifiers are present on the file and not equal to A-Z or 0-9, spaces are not valid.
M288	1000A	PER04	Communication number	PER04 data invalid	Set edit if the qualifier in 1000A PER03 is = to TE or FX and the value in PER04 is not alpha or numeric.
M289	1000A	PER06	Communication number	PER06 data invalid	Set edit if the qualifier in 1000A PER05 is = to TE, EX or FX and the value in PER06 is not alpha or numeric.
M290	1000A	PER08	Communication number	PER08 data invalid	Set edit if the qualifier in 1000A PER07 is = to TE, EX or FX and the value in PER08 is not alpha or numeric.
M291	2010AA	PER04	Communication number	PER04 data invalid	Set edit if the qualifier in 2010AA PER03 is = to TE or FX and the value in PER04 is not alpha or numeric.
M292	2010AA	PER06	Communication number	PER06 data invalid	Set edit if the qualifier in 2010AA PER05 is = to TE, EX or FX and the value in PER06 is not alpha or numeric.
M293	2010AA	PER08	Communication number	PER08 data invalid	Set edit if the qualifier in 2010AA PER07 is = to TE, EX or FX and the value in PER08 is not alpha or numeric.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M294	2330B PER04	Communication number	PER04 data invalid	Set edit if the qualifier in 2330B PER03 is = to TE or FX and the value in PER04 is not alpha or numeric.
M295	2330B PER06	Communication number	PER06 data invalid	Set edit if the qualifier in 2330B PER05 is = to TE, EX or FX and the value in PER06 is not alpha or numeric.
M296	2330B PER08	Communication number	PER08 data invalid	Set edit if the qualifier in 2330B PER07 is = to TE, EX or FX and the value in PER08 is not alpha or numeric.
M297	2420E PER04	Communication number	PER04 data invalid	Set edit if the qualifier in 2420E PER03 is = to TE or FX and the value in PER04 is not alpha or numeric.
M298	2420E PER06	Communication number	PER06 data invalid	Set edit if the qualifier in 2420E PER05 is = to TE, EX or FX and the value in PER06 is not alpha or numeric.
M299	2420E PER08	Communication number	PER08 data invalid	Set edit if the qualifier in 2420E PER07 is = to TE, EX or FX and the value in PER08 is not alpha or numeric.
M300	2400 REF01	CLIA Facility ID	F4 not valid w/o modifier 90	Set edit for dates of service on and after 07/01/04 if 2400 REF01 = F4 and modifier 90 is not present in any 2400 SV101 3-6 modifier fields, OR if 2400 REF01 does not equal F4 and modifier 90 is present in any 2400 SV101 3-6 modifier field.
M301	2400 AMT01/A AE	Approved Amount	Required element missing	Set edit if 2400/AMT/A AE segment is present without segment 2430/SVD02
M302	2300 CN1	Claim Level	Required element missing	Set edit if 2300/CN1 segment is present without either a 2320/AMT/D or a 2430/SVD02 segment
M303	2400 CN1	Contract Information	Required element missing	Set edit if 2400/CN1 segment is present without either a 2320/AMT01/D or a 2430/SVD02 segment
M304	2320 AMT/01/B6 and AMT01/D	Allowed/Payer Paid Amounts	Required elements missing	Set edit if both claim level segments are present without a 2400 AMT01/A AE and a 2430 SVD02 segment, when more than one line
M310	2300 HI01-2 HI02-2 HI03-2 HI04-2 HI05-2 HI06-2 HI07-2 HI08-2	Invalid diagnosis code	Invalid diagnosis code	Set edit for invalid diagnosis codes that are not pointed to by any detail on the claim.

Edit Number	Loop/Data Element	Name	Description	Edit Logic
M311	2300 HI01-2 HI02-2 HI03-2 HI04-2 HI05-2 HI06-2 HI07-2 HI08-2	Invalid diagnosis code	Invalid diagnosis code	Set edit if the diagnosis that is pointed to is outside of the diagnosis effective and end date for the detail date of service